



PRODUCT CATALOGUE

Prosthetic **COMPONENTS**



Avinent has a wide range of prosthetic accessories, totally versatile high-precision components, compatible with most brands on the market and offering an unbeatable fit. This new line brings new solutions to the market and is designed to facilitate the task of dental professionals.

INDEX

Quality is manufactured	4
Support from start to finish	5
Highlights	6
Technical index	12
Prosthetic components	16
Accessories	76
Torque table	78

Quality is manufactured

Avinent has demonstrated throughout its history that it demands the maximum rigor and quality guarantee in creation and production of each of its solutions. Thanks to this dedication of everything the human team, the year 2020 was one of the first companies to European level and the first at the Spanish level to receive the certificate according to the new European regulation of medical devices (Medical Device Regulation – MDR). This new regulation is characterized by being much stricter than the previous Directive with the main objective of guaranteeing patient safety.

The entire team of professionals that makes up Avinent has kept in mind that the value brought to the quality of the products and safety when applying them in treatments, translates into peace of mind and patient safety.

Furthermore, the concept of quality is implicit in the entire process. of production, from manufacturing processes, passing for the safety and functionality of the product, to installations or the specific regulations for each country, applying it from the beginning to end with our 100% control methods.

To complete this exhaustive process, we also have scientific support, clinical monitoring and post-marketing. At this point we have the help of universities and centers of research in which Avinent finds all the support necessary to carry out scientific studies.


Inside and outside Avinent we work to offer solutions prepared to be the most effective and competent on the market.



Accompaniment from beginning to end

Avinent offers customers end-to-end support. The team of customer service, with the first contact it provides good advice, a value that the team offers by helping the customer to make the decision to choose the best product or the best solution, and also works closely with the team commercial to be extremely careful in an aspect crucial as is the speed in the delivery of orders. For another On the other hand, technical support teams are prepared to accompany you from beginning to end in the process you need, both If it is a digitization process using digital equipment, as if a cad cam restoration process.

Always with close, personal treatment and security to be by your side in everything you need.



On the other hand, the Avinent eshop is prepared so that The customer can buy in an easy, fast and intuitive way. Puts at your disposal the complete portfolio of prosthetic components with all the connections of the most relevant brands on the market so that in just one click you can find the solutions you need to your rehabilitation, with very short delivery times and shipments international.

In addition, the eshop also contains a customer area, where you will be able to manage all your invoices, returns, save your shopping carts to repeat it in the future and monitor the status of your shipments.

Everything centralized, from the same place to buy at Avinent is quick and easy for you.

The component family Avinent prosthetics

Avinent, thanks to its extensive catalog of components prosthetics, has the capacity to assume the entire process scanning, design and manufacturing of prosthetic structures from all available digital systems. The company has an extensive digital library for software more advanced designs, which have been developed for most brands and types of connections on the market.

Extensive experience in the production of serial parts of Avinent and the mechanical and adjustment tests to which they have been subjected the components, guarantee an optimal fit for an absolutely safe restoration thanks to a process 100% controlled production process.

The range of prosthetic components consists of:





Scanbodies

Avinent scan abutments use medical grade PEEK as the material for the body of the abutment, with good radiopaque scan properties, eliminating the need to use spray. The base is made of stainless steel, which allows for perfect visibility in periapical x-rays. The anti-rotational geometry of the

connection guarantees a correct insertion and a very good fit. Our scan abutments are unique as they can be sterilised in an autoclave, allowing them to be used multiple times. Avinent's CC and CC.I connections offer a choice between abutments for single or multiple restorations.

Avinent digital libraries

To offer an integrated digital solution that brings the digital flow closer to dentists and prosthetic laboratories, Avinent also has an extensive digital library for the most advanced design software. The libraries have been developed for the majority of brands and types of connections on the market, with a multi-platform system open to all scanners. You can consult our online catalogue of digital libraries on our web page: cadcam.avinent.com/libreriasdigitales

For more information, consult our website cadcam.avinent.com or contact our commercial technical support team.



Impression copings

For open bucket or closed bucket. For conical connection (CC and CC.I) you will be able to see the anodized screws depending on the platform you are using (yellow on platform 3.5 and green on platform 4.1)



Analogs

For printed or plaster model, essential for correct completion of the prosthesis. Although the body of the component is identical, it will be used a special connection depending on the specific implant system on which is being worked. We use precision of machining to produce our analogues with the same tolerances as the implants and achieve maximum precision. In the case of the CC.I connection we find a single analogue model usable for traditional or digital processes.



Cemented abutments

If your idea is to do a rehabilitation with cemented prosthesis, you will use an abutment to cement that will allow it to be treated as if it were a natural tooth and get a perfect final aesthetic in the rehabilitation. Inside the prostheses cemented, we have:

1 Cemented abutment

2 Angled cemented abutment

Titanium bases:

Avinent titanium bases are designed with several gingiva heights to preserve the maximum amount of soft tissue and achieve emergence profiles that are perfect for an optimum aesthetic result. Avinent has the libraries needed to use the titanium

bases in the main design software and for the majority of implant connections on the market. Avinent titanium bases are also available for single or multiple restorations. Within the family of Avinent titanium bases, we find 3 types:



1

Standard titanium bases

The first generation of Avinent titanium bases. Their different gingiva heights mean it is always possible to find the best solution for every patient

» Screw connection screwdriver original

2

Cuttable titanium bases

These are the second generation of Avinent titanium bases. They are gold-dipped to improve mimetisation with the soft tissues and moreover, their cementing height is customisable, which means it can be cut to fit the base to the required type of rehabilitation

» Screw connection screwdriver original.

3

Angulation correction titanium bases

With upper profile and anatomical design, they are ideal for anterior and perfectly functional for posterior sectors. This integral system is designed with two anti-rotation planes and allows for channels with an angulation of up to 30°. Additionally, as with the high-profile titanium bases, they have a cementing height that can be cut for a complete fit with the restoration to be made

» Correction angulation system to 30°, with G2 screwdriver that provides for a maximum recommended torque of 30 Ncm



Plus, we also have the conical titanium bases, designed to be placed always over transepithelials. It is a special interim phase that allows cases with a lot of divergence to be treated.



Screws

Avinent designs different types of screws depending on the case in which they are used. The design of each screw is special for the system of implant used to power use the screwdriver original brand.



Screw-retained abutment

Perhaps your idea, instead, is to carry out rehabilitation with a screw-retained prosthesis since it is one of the most used thanks to its recoverability and easy maintenance. Within screw-retained prostheses, we find:



1 Temporary abutment

(Unitary and multiple): It is a direct connection component to implant, designed to be used provisional form in restoration prosthetics and replacing teeth. Available in Titanium and PEEK.

2 Castable

It is a connecting component direct to implant and is used currently for its versatility to carry out all kinds of prosthesis without depending on the implant position.



Transepithelial abutment

The transepithelial or transmucosal abutments help us to make a type of prosthesis screwed onto abutments, allowing the connection of the prosthesis to be moved to the paragingival level, moving the micro-gap and the crown-abutment away from the bone margin while the biological width is reestablished towards the apical level, achieving an optimal mucosal seal.

It has the entire necessary range of accessories, as well as comfort plugs, to protect the abutment during immediate loading.

Avinent offers transepithelial abutments of different neck heights that allow the abutment to be adjusted to the thickness of the soft tissue, achieving greater surgical efficiency and exceptional aesthetic results, from 0.5 mm to 5 mm, supplied in straight and angled versions (17°, 24° and 30°). These different heights and angles allow us to solve the most compromised cases successfully, especially in multiple immediate prostheses.

Accessories

We also have a wide portfolio of accessories for implants and components that complements the offer of accessories. With specialty screwdrivers and multiple other solutions, we make sure Avinent can offer you everything you need to carry out your restoration from start to finish.



Analog drivers



This tool allows to facilitate the placement of the analogue on the printed model. Its color anodized coding improves and speeds up the professional's work.

On page 99 you have
The compatibility table
between analogues and
drivers is available.




Technical index

With brands and connections

Avinent®

	External Connection 3,5 4,1 5,1	15
	Internal Connection 3,5 4,1	20
	Conical Connection 3,5 4,1	25
	Conical Connection Iceberg 3,5 4,1	30
	Pearl 3.0 Pearl 3,0	34
	Transepithelial 4,8	37


Compatible with Straumann®

	Straumann NC RC	48
	Straumann RN WN	50
	SynOcta RN 4,8 WN 6,5	51
	Multi-Base NC 3,5-4,5 RC 4,5-6,5	52



Compatible with Nobel Biocare®


	Bränemark System NP RP WP	40
	Replace NP RP WP 6,0	42
	Bränemark Multi-unit NP RP WP	44
	Active 3,0 NP RP WP	46

Compatible with Biomet 3i®


	External Connection 3,25 4,0 5,0 6,0	53
	Internal Certain 3,4 4,1 5,0 6,0	54

Compatible with Dentsply®


	Astratech Osseospeed 3,0 3,5-4,0 4,5-5,0	56
	Astratech UniAbutment 20° 45°	58
	Ankylos C Narrow C	59




Xive
3,0 | 3,4 | 3,8 | 4,5 | 5,5

60

Essential® | VEGA®
NK2® | SK2®

72


Xive MP
3,4 | 3,8 | 4,5 | 5,5

61Compatible with **Ziacom®**


Zicnic®
NP | RP | WP
Pilar Basic

73Compatible with **BioHorizons®**


Tapered Internal
3,0 | 3,5 | 4,5 | 5,7

62Compatible with **BTI®**

Externa
Tiny | Universal | Plus | Ancha

74

Interna
Universal | Plus | Ancha

75


Interna
Multi-IM

76Compatible with **Zimmer®**

Tapered Screw-Vent
3,5 | 4,5 | 5,7 | Tapered

67Compatible with **CAMLOG®**


Screw-Line
3,3 | 3,8 | 4,3 | 5,0 | 6,0

77

Bar Abutment
4,3 | 6,0

78Compatible with **NeoDent®**

GM® | CM®
GM | Mini Pilar Cónico
Micro Pilar

70Compatible with **Bego Semados®**


Bego Semados
S 3,25-3,75-4,1 | RI 4,5 | S 5,5

79Compatible with **Klockner®**

Essential®
Cone | Octacone
Abutment | Multicone

71


Compatible with **Thommen Medical®**



SPI PF
3,5 | 4,0 | 4,5 | 5,0 | 6,0


80

Compatible with **Sweden & Martina®**



Premium Kohno
3,3 | 3,8 | 4,25 | 5,0 | 6,0

81



Premium Kohno TG W
4,8 | 5,8

82

Accesories

Boxes, screwdrivers
i overdenture

84

Premills

88

Technical specifications

Torque **90**

Labelled **99**

Compatibility table
analog drivers **99**



Engaging

Non-engaging

Avinent®

External Connection

3,5 | 4,1 | 5,1

M 1.8
Platform 3,5

M 2.0
Platform 4,1

M 2.5
Platform 5,1

Healing abutments

<p>Healing abutment</p>	<p>Ø4,0 H</p>	3 mm	0030	3 mm	3363		
		4 mm	0031	5 mm	3364		
		5 mm	0032	7 mm	3365		
	<p>Ø5,0 H</p>	3 mm	0033	3 mm	0036		
		4 mm	0034	4 mm	0037		
		5 mm	0035	5 mm	0003		
	<p>Ø6,0 H</p>			7 mm	0038		
						3 mm	0039
						4 mm	0040
						5 mm	0041

<p>Anatomic healing abutment</p>	<p>Ø5,0 H</p>	3 mm	0171	3 mm	0174		
		4 mm	0172	4 mm	0175		
		5 mm	0173	5 mm	0176		
	<p>Ø6,0 H</p>			7 mm	0177		
						3 mm	0178
						4 mm	0179
						5 mm	0180

Impression copings

<p>Open tray</p>	<p>Divergent Implants</p>	0042	0004	0043
		0181	0182	0183
<p>Screw for open tray</p>	Short	0046	0019	0048
	Long	0165	0047	0164
<p>Closed tray</p>	<p>Divergent Implants</p>	0161	0162	0163
		0044	0005	0045

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height



The anodizing is done based
on the original color of the brand

◆ Engaging

● Non-engaging



M 1.8

Platform 3,5

M 2.0

Platform 4,1

M 2.5

Platform 5,1**Transepithelial abutments**

Uniblock



GH

 1,0 2464
 2,0 2465
 3,0 2466
 -
 -

 1,0 0190
 2,0 0193
 3,0 0196
 4,0 0199
 5,0 0202


Straight abutment



GH

 1,0 2480
 2,0 2481
 -
 -
 -

 0,5 0204
 1,0 0206
 2,0 0209
 3,0 0212
 4,0 0215
 5,0 0218


Angled abutment



17° GH

 2,0 2467
 3,0 2468
 -

 2,0 0257
 3,0 0258
 4,0 0259


24° GH

 -
 -
 -

 3,0 0270
 4,0 0271


30° GH

 3,0 2472
 -
 -

 3,0 0764
 4,0 0297
 5,0 0298


Screw angled abutment



3969

3970




Prosthetic screw

0306

0306

-

Scanbodies

Scanbody



2797

2798

2799

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

Screw Included

The anodizing is done based
 on the original color of the brand



Engaging
Non-engaging

Avinent®

External Connection

3,5 | 4,1 | 5,1

M 1.8

Platform 3,5

M 2.0

Platform 4,1

M 2.5

Platform 5,1

Analog



Digital
analog

2810

2811

2812



Traditional
analog

Short

0053

0017

0054

Long

0051

0013

0052

Temporary abutment



Titanium
temporary
abutment



0144

0015

0145



0142

0007

0143

Titanium bases



Titanium base



GH

0,8

2815

0,5

2816

0,5

2817



Cutable Titanium
Base



GH

1,5

6355

1,5

6357

1,5

6359



GH

3,0

6356

3,0

6358

3,0

6360



Angulation
Correction
Titanium Base



GH

0,8

5149

0,8

5153

0,5

5157



GH

1,8

5150

1,5

5154

1,5

6462



Angulation
Correction
Titanium Base



GH

0,8

5151

0,8

5155

0,5

5158



GH

1,8

5152

1,5

5156

1,5

6463

Remember that:

For the PEEK provisional, the maximum recommended time is 30 days in the mouth.

Engaging

Non-engaging

**Premills**

Premills

Ti
CrCo

M 1.8

Platform 3,5

M 2.0

Platform 4,1

M 2.5

Platform 5,1

4624

4630

4626

4632

4628

4634

Cemented abutmentsCemented
abutment Ø4,5 GH
Ø5,5 GH
Ø6,5 GH1,0 1710
3,0 17111,0 1712
3,0 1713-
-1,0 1714
3,0 17151,0 1716
3,0 1717Angled cemented
abutment 17° Ø4,5 GH
Ø5,5 GH
Ø6,5 GH1,0 1718
3,0 1719-
-
1,0 1720
3,0 1721-
-
-
--
-
-
-1,0 1722
3,0 1723**Castables**

Castable



GH

0057

0055

0014

0006

0058

0056

CoCr Base
Castable 

GH

3342

3345

3343

3346

3344

3347

OverdentureRhein 83
Abutment

GH

2,0 3478

-
4,0 34792,0 3276
3,0 32774,0 3278
5,0 32792,0 3280
-
-
-

4,0 3480

Remember that:Measurements are indicated in mm
GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Avinent®

External Connection

3,5 | 4,1 | 5,1

M 1.8
Platform 3,5

M 2.0
Platform 4,1

M 2.5
Platform 5,1

 Locator Abutment

 GH

		-	0,73	0352		-
	1,0	2458		-	1,0	0358
	2,0	2459	2,0	0353	2,0	0359
	3,0	2460	3,0	0354	3,0	0360
	4,0	2461	4,0	0355	4,0	0361
	5,0	2462	5,0	0356	5,0	0362
		-	6,0	0357		-

 Locator R-TX Abutment

 GH

	1,0	4957	1,2	4963	1,2	4969
	2,0	4958	2,0	4964	2,0	4970
	3,0	4959	3,0	4965	3,0	4971
	4,0	4960	4,0	4966	4,0	4972
	5,0	4961	5,0	4967	5,0	4973
	6,0	4962	6,0	4968		-

Screws

 Screw for abutment



0076	0010	0077
------	------	------

 Angulation correction Titanium base and abutment screw



5172	5173	5174
------	------	------

 Bridge and full arch screw



2802	2803	2804
------	------	------

 Bridge and full arch angulation correction screw



5178	5179	5180
------	------	------

 Lab Screw



0073	0074	0075
------	------	------

 Reduced abutment screw



0568	0570	0572
------	------	------



M 1.8

Platform 3,5**Platform 4,1**

Healing abutments

	Anatomic healing abutment		$\varnothing 3,5$ H	3,0 3370 5,0 3371 7,0 3372
			$\varnothing 4,5$ H	2,0 0465 3,0 0466 4,0 0467 5,0 0468 7,0 0469
			$\varnothing 5,5$ H	3,0 0471 4,0 0472 5,0 0473 7,0 0474
			$\varnothing 6,5$ H	3,0 2737 4,0 2727 5,0 2726

	Aesthetic healing abutment		$\varnothing 4,5$ H	2,0 0607 3,0 0608 4,0 0609 5,0 0610 6,0 0611 7,0 0612
---	----------------------------	---	---------------------	--

Impression copings

	Open tray			0475
			Implantes Divergentes	0874
	Open tray for screw	Corto		0479
		Largo		0480

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height



The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Avinent®
Internal Connection
3,5 | 4,1

M 1,8

Platform 3,5
Platform 4,1



Closed tray



0477

Transepithelial abutments



Uniblock



GH

1,0 0765

2,0 0766

3,0 0767

4,0 0768

5,0 0769



Straight abutment



GH

1,0 0821

2,0 0822

3,0 0823

4,0 0824

5,0 0825



Angled abutment



17° GH

2,0 6885

3,0 0808

4,0 0809

24° GH

3,0 0810

4,0 0811

30° GH

3,0 0812

4,0 0813

5,0 0814



Angled abutment screw



3971



Prosthetic screw

0306

Scanbodies



Scanbody



2801



M 1.8

Platform 3,5**Platform 4,1****Analog**Digital
analog

2814

Traditional
analog

3,5 Ø 0581

4,1 Ø 0585

Temporary abutmentsTitanium
temporary
abutment

0491



0490

Titanium bases

Titanium base



GH

0,8 2818

1,3 3035



0,8 2823

1,3 3036

Cuttable titanium
base

GH

0,85 6282

1,5 6085

3,0 6086



0,8 6290

1,5 6407

3,0 6408

Angulation
correction
titanium base

GH

1,0 5159

1,8 5160



1,0 5161

1,8 5162

Remember that:

Measurements are indicated in mm

GH stands for Gingival Height

Screw Included

 The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Aventum®
Internal Connection
3,5 | 4,1

M 1,8

Platform 3,5
Platform 4,1

Premills

	Premill		Ti CrCo	4619
				4621

Cemented abutments

	Cemented abutment 	 Ø4,5 GH	1,0 1724 3,0 1725
		 Ø5,5 GH	1,0 1726 3,0 1727 5,0 1728
		 Ø6,5 GH	3,0 1729
	Angled cemented abutment 17° 	 Ø4,5 GH	1,0 1730 3,0 1731
		 Ø5,5 GH	1,0 1732 3,0 1733 5,0 1734
		 Ø6,5 GH	3,0 1735

Castables

	Castable	 	0591 0589
	CoCr Base Castable 	 	3348 3349

Overdenture

	Rhein 83 Abutment		GH	2,0 3282 3,0 3283 4,0 3284 5,0 3285
---	-------------------	---	----	--

-  Engaging
-  Non-engaging



M 1.8

Platform 3,5**Platform 4,1**

 Locator Abutment	 GH		
		0	0596
		1,0	0597
		2,0	0598
		3,0	0599
		4,0	0600
 Locator R-TX Abutment	 GH	5,0	0601
		0,5	4975
		1,0	4976
		2,0	4977
		3,0	4978
		4,0	4979
		5,0	4980
Screws		5,0	4981
 Screw for abutment			0076
 Angulation correction Titanium base and abutment screw			5335
 Bridge and full arch screw			2802
 Bridge and full arch angulation correction screw			5336
 Lab screw for abutment			0073
 Reduced abutment screw			0568

Remember that:

Measurements are indicated in mm

GH stands for Gingival Height

 Screw Included
The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Avinent®
Conical Connection
3,5 | 4,1

M 1.6
Platform 3,5

M 2.0
Platform 4,1

Healing abutments

	Anatomic healing abutment		Ø4,0 H	3,0 2988 5,0 2989		- -	
			Ø5,0 H	3,0 2990 5,0 2991 7,0 2992	3,0 2998 5,0 2999 7,0 3000		
			Ø4,0 H	3,0 2993 5,0 2994		- -	
			Ø5,0 H	3,0 2995 5,0 2996 7,0 2997	3,0 3473 5,0 3474 7,0 3008		
			Ø6,0 H	- - - - - -	3,0 3470 5,0 3471 7,0 3472 3,0 3010 5,0 3011 7,0 3012		

Postes de Impresión

	Open tray		3459	3460
			3461	3462
	Open tray screw		3475	3476
	Closed tray		3029	3030
			3031	3032

Transepithelial abutments

	Uniblock		GH	1,5 3108 2,0 3109 3,0 3110 5,0 3112	1,5 3113 2,0 3114 3,0 3115 5,0 3117
	Straight abutment		GH	2,0 3129 3,0 3130	2,0 3134 3,0 3135



		M 1.6	Platform 3,5	M 2.0	Platform 4,1
Angled abutment	17° GH		3,5 3140 5,0 3141		3,5 3143 5,0 3144
	24° GH		3,5 3146		3,5 3148
	30° GH		3,5 3150 5,0 3549		3,5 3153 5,0 3550
Angled abutment screw			3967		3968
Prosthetic screw			0306		0306
Scanbodies					
Scanbody	0° a 10° ¹ 10° a 30° ²		4391 3080		4392 3081
Analog					
Digital analog			3054		3055
Traditional analog			3039		3040
Temporary abutments					
Titanium temporary abutment	○		3009 3018		3015 3020

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand

¹For implant structures with divergences of 0° to 10°

²For implant structures with divergences of 10° to 30°



Engaging
Non-engaging

Avinent®
Conical Connection
3,5 | 4,1

M 1,6

Platform 3,5

M 2,0

Platform 4,1

Titanium bases



Titanium base

0,8 3048

0,8 3049

1,8 3066

1,4 3083

0,8 3050

0,5 3051

1,25 3067

0,9 3082



Cutable titanium base

0,8 6283

0,8 6284

1,5 6087

1,5 6089

3,0 6088

3,0 6090

0,8 6291

0,5 6292

1,5 6409

1,5 6411

3,0 6410

3,0 6412



Angulation correction titanium base

0,8 5163

0,8 5167

1,8 5164

1,8 5168

0,8 5165

0,8 5169

1,8 5166

1,8 5170

Pilares pre-fresados



Premill

CrCo

4648

4650

4652

4654

Cemented Abutments



Cemented abutment

Ø4,0 GH

1,0 3088

-

3,0 3089

-

Ø5,0 GH

1,0 3090

1,0 3092

3,0 3091

3,0 3093

Ø6,0 GH

-

1,0 3094

-

3,0 3095

◆ Engaging

● Non-engaging



M 1.6

Platform 3,5

M 2.0

Platform 4,1

**Angled cemented
abutment 17°**
**Ø4,0 GH**

1,0 3096

3,0 3097

-

-

**Ø5,0 GH**

1,0 3098

3,0 3099

1,0 3100

3,0 3101

Ø6,0 GH

-

-

1,0 3102

3,0 3103

Castable

**CoCr Base
castable**


3338

3340

3339

3341

Overdenture

**Rhein 83
abutment**
**GH**

2,0 3268

3,0 3269

4,0 3270

5,0 3271

2,0 3272

3,0 3273

4,0 3274

5,0 3275


**Locator
abutment**
**GH**

1,0 3242

2,0 3243

3,0 3244

4,0 3245

5,0 3246

1,0 3247

2,0 3248

3,0 3249

4,0 3250

5,0 3251


**Locator R-TX
abutment**
**GH**

1,0 4982

2,0 4983

3,0 4984

4,0 4985

5,0 4986

6,0 4987

1,0 4988

2,0 4989

3,0 4990

4,0 4991

5,0 4992

6,0 4993

Remember that:

Measurements are indicated in mm

GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Avinent®
Conical Connection
3,5 | 4,1

M 1.6

Platform 3,5

M 2.0

Platform 4,1

Screws

		M 1.6	M 2.0
	Platform 3,5		
 Screw for abutments		3466	3467
 Angulation correction Titanium base screw		5175	5176
 Bridge and full arch screw		3045	3046
 Bridge and full arch angulation correction screw		5181	5182
	Platform 4,1		



M 1.6

Platform 3,5

M 2.0

Platform 4,1

Healing abutments

 Straight healing abutment	 $\varnothing 3,5$ H	2,0	5922		
		3,0	5923		
 Anatomic healing abutment	 $\varnothing 4,0$ H	5,0	5924		2,0 5925
					3,0 5926
					5,0 5927
	 $\varnothing 4,0$ H	2,0	5928		
		3,0	5929		
		5,0	5930		
	 $\varnothing 5,0$ H	2,0	5931		2,0 5934
		3,0	5932		3,0 5935
		5,0	5933		5,0 5936
	 $\varnothing 6,0$ H				2,0 5937
					3,0 5938
					5,0 5939

Impression copings

 Open tray	 Divergent implants	5958	5959		
		3461	3462		
 Open tray screw		3475	3476		
 Closed tray	 ○	3031	3032		

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand



Engaging

Non-engaging

Avinent®
Conical Connection Iceberg
3,5 | 4,1

M 1,6

Platform 3,5

M 2,0

Platform 4,1

Transepithelial abutments

	Uniblock		GH	1,2	5980	1,2	5982
				3,2	5981	3,2	5983
	Straight abutment		GH	1,2	5984	1,2	5985
	Angled abutment		17° GH	3,2	5987	3,2	5989
			24° GH	3,2	5991	3,2	5993
			30° GH	3,2	5995	3,2	5997
	Angled abutment screw			3967		3968	
	Prosthetic screw			0306		0306	

Scanbodies

	Scanbody			3080		3081	
--	----------	--	--	------	--	------	--

Analog

	Digital/traditional analog		Ø implant	3,5	5942	4,5	5944
				4,0	5943	5,0	5945

Temporary abutments

	Titanium temporary abutment			5970		5971	
				5972		5973	



M 1.6

Platform 3,5

M 2.0

Platform 4,1**Titanium bases**

			M 1.6	M 2.0
			Platform 3,5	Platform 4,1
	Cutable titanium base	GH	1,2 5950 3,2 6061	1,2 5951 3,2 6062
		GH	1,2 5952 3,2 6063	1,2 5953 3,2 6064
	Angulation correction titanium base	GH	1,2 5954 2,2 6466	1,2 5955 2,2 6467
		GH	1,2 5956 2,2 6468	1,2 5957 2,2 6469
Premills				
	Premill	Ti CrCo	5946 5948	5947 5949

Cemented abutments

	Cemented abutments	Ø3,7 GH Ø4,2 GH Ø4,5 GH Ø5,0 GH	0,6 5962 1,0 5963 - -	- - 1,0 5964 1,2 5965
--	--------------------	--	--------------------------------	--------------------------------

	Angled cemented abutment 17°	Ø3,7 GH Ø4,2 GH Ø4,5 GH Ø5,0 GH	0,6 5966 1,0 5967 - -	- - 1,0 5968 1,2 5969
--	------------------------------	--	--------------------------------	--------------------------------

Castable

	CoCr Base castable	GH	5976 5978	5977 5979
--	--------------------	----	--------------	--------------

Recuerda que:

Las medidas están indicadas en mm.

GH significa altura gingival (Gingival Height)

Tornillo incluido

Los anodizados se realizan en función del color original de la marca



Engaging

Non-engaging

Avinent®
Conical Connection Iceberg
3,5 | 4,1

M 1,6

Platform 3,5

M 2,0

Platform 4,1

Overdenture

			M 1,6	M 2,0
	Rhein 83 abutment	GH	2,0 3268 3,0 3269 4,0 3270 5,0 3271	2,0 3272 3,0 3273 4,0 3274 5,0 3275
	Locator abutment	GH	1,0 3242 2,0 3243 3,0 3244 4,0 3245 5,0 3246	1,0 3247 2,0 3248 3,0 3249 4,0 3250 5,0 3251
	Locator R-TX abutment	GH	1,0 4982 2,0 4983 3,0 4984 4,0 4985 5,0 4986 6,0 4987	1,0 4988 2,0 4989 3,0 4990 4,0 4991 5,0 4992 6,0 4993
Screws				
	Screw for abutments		3466	3467
	Angulation correction Titanium base screw		5175	5176
	Bridge and full arch screw		3045	3046
	Bridge and full arch angulation correction screw		5181	5182



M 1.6

Platform 3,0**Healing abutments**

	Healing abutment		$\varnothing 3,5$ H	2,5 6016 3,5 6017 5,5 6018
			$\varnothing 4,0$ H	2,5 6019 3,5 6020 5,5 6021

Impression copings

	Open tray		5767
	Open tray screw		5769
	Closed tray		5808

Scanbodies

	Scanbody		5344
---	----------	---	------

Analog

	Digital analog		5345
	Traditional analog		5377

Remember that:

Measurements are indicated in mm

GH stands for Gingival Height

 Screw Included

The anodizing is done based

on the original color of the brand



Engaging 
Non-engaging 

Avinent®
Pearl 3.0
3,0

M 1,6

Platform 3,0

Temporary abutments



Titanium temporary
abutment 



5759

Titanium bases



Cutable titanium
base 



GH

0,9 5346

Premills



Premill

Ti

5347

CrCo

5350

Cemented abutments



Cemented
abutment 

Ø4,0 GH

0,9 5755



Angled cemented
abutment 17°


Ø3,7 GH

0,9 5757

Castables



CoCr base
castable 



5763

Overdentures



Rhein 83
abutment



GH

0,8 4166

1,8 4167

2,8 4168




M 1.6

Platform 3,0**Screws**

			M 1.6	Platform 3,0
	Screw for abutments			5348
	Reduced abutment screw			5753

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height



The anodizing is done based
on the original color of the brand



Engaging

Non-engaging

Aventin®
Transepithelial
4,8

M 1.4

Transepithelial 4,8

Impression copings

	Open tray		0316
	Closed tray		0315

	Closed tray		0318
--	-------------	--	------

Scanbodies

	Scanbody		5317
			2800

Analogs

	Digital analog		2813
	Traditional analog		0322

Temporary abutment

	Titanium temporary abutment		0310
			0309

Titanium bases

	Titanium base	GH	0,5 2822
	Conical titanium base	GH	0,2 4153

-  Engaging
-  Non-engaging



M 1,4

Transepithelial 4,8

	Cutable titanium base	 	GH		0,5	6361
		 			1,5	6362
	Angulation correction titanium base	 	GH		0,5	6369
		 			1,5	6370
	Healing cap	 			0,5	5187
					1,5	6464
					0,5	5171
					1,5	6465
Healing cap						
	Castable	 			0321	
Castables						
	Locator abutment	 	GH		0308	
					0307	
Overdentures						
	Locator abutment	 			3,0	2225
Screws						
	Screw for abutments	 			0306	
	Angulation correction Titanium base screw	 			5177	
	Bridge and full arch screw	 			0306	
	Bridge and full arch angulation correction screw	 			5177	
	Reduced abutment screw				0377	

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Components
for other brands



	M 1.6	M 2.0	M 2.5
	Bränemark System NP 3.5	Bränemark System RP 4.1	Bränemark System WP 5.1

Transepithelial abutments

Uniblock	GH 1,0 GH 2,0 GH 3,0 GH 4,0 GH 5,0	6867 6868 6869 - -	6870 6871 6872 6873 6874	
Prosthetic screw	Tornillo protésico (M 1,4)	1883	1883	
Scanbodies				
Scanbody		2078	2093	1781
Analogs				
Digital analog		2101	2609	2610
Traditional analog		1680	2595	2596

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Compatible with **Nobel Biocare®**
Bränemark System
NP | RP | WP

M 1.6
**Bränemark System
NP 3.5**

M 2.0
**Bränemark System
RP 4.1**

M 2.5
**Bränemark System
WP 5.1**

Temporary abutments

	Titanium temporary abutment 	
---	--	---

6846

6849

6847

6850

6848

6851

Titanium bases

	Titanium base 
---	--

 GH GH

0,8 1775

0,8 2232

0,5 1943

0,5 2233

0,5 1776

0,5 2234

	Cutable titanium base 
---	--

 GH

GH

1,5 6772

3,0 6773

1,5 6774

3,0 6775

1,5 6776

3,0 6777

 GH

GH

1,5 6778

3,0 6779

1,5 6780

3,0 6781

1,5 6782

3,0 6783

	Angulation correction titanium base 
---	--

 GH

GH

0,8 6746

1,8 6747

0,8 6748

1,8 6749

0,5 6750

1,5 6751

 GH

GH

0,8 6752

1,8 6753

0,8 6754

1,8 6755

0,5 6756

1,5 6757

Premills

	Premill
---	---------

 Ti

CrCo

4636

4642

4638

4644

4640

4646

Screws

	Screw for abutment
---	--------------------



1901

1881

1882

	Angulation correction Titanium base screw
---	---



6704

6010

6011

	Bridge and full arch screw
---	----------------------------



1880

1881

1882

	Bridge and full arch angulation correction screw
---	--



6729

6010

6011

Compatible with **Nobel Biocare®**

Replace

NP | RP | WP | 6,0

 Engaging

 Non-engaging



M 1.8

**Replace NP
3.5 Purple**

M 2.0

**Replace RP
4.3 Yellow**

M 2.0

**Replace WP
5.0 Blue**

M 2.0

**Replace
6.0 Green**

Scanbodies



Scanbody




2081

2082

2083

2084

Analogs



Digital
analog

2102

2103

2104

2105



Traditional
analog

1681

1682

1683

1684

Temporary abutments



Titanium temporary
abutment




6838

6839

6840

6841

6842

6843

6844

6845

Titanium bases



Titanium base




0,8 1981

0,5 1947

0,5 1948

0,5 1949



0,8 2235

0,5 2236

0,5 2237

0,5 2238





Engaging

Non-engaging

Compatible with **Nobel Biocare®**
Replace
NP | RP | WP | 6,0

		M 1.8 Replace NP 3.5 Purple	M 2.0 Replace RP 4.3 Yellow	M 2.0 Replace WP 5.0 Blue	M 2.0 Replace 6.0 Green
Cuttable titanium base	GH	0,8 6245 2,0 6071 3,0 6762	0,5 6246 2,0 6072 3,0 6763	0,5 6247 2,0 6764 3,0 6765	0,5 6248 - -
	GH	0,8 6261 2,0 6766 3,0 6767	0,5 6262 2,0 6768 3,0 6769	0,5 6263 2,0 6770 3,0 6771	0,5 6264 - -
Angulation correction titanium base	GH	0,8 5264 1,8 5266	0,8 5268 1,8 5270	- 1,8 5272	
	GH	0,8 5265 1,8 5267	0,8 5269 1,8 5271	- 1,8 5273	
Pilares pre-fresados					
Premill	Ti CrCo	4668 4676	4670 4678	4672 4680	4674 4682
Tornillos					
Screw for abutment		1885	1886	1886	1886
Angulation correction Titanium base screw		5308	5309	5309	5309
Bridge and full arch screw		1885	1886	1886	1886
Bridge and full arch angulation correction screw		5308	5309	5309	5309

Compatible with **Nobel Biocare®**

Bränemark Multi-unit

NP | RP | WP

Engaging

Non-engaging



M 1.4

**Bränemark Multi-unit
NP 3.5**

M 1.4

**Bränemark Multi-unit
RP 4.1**

M 1.8

**Bränemark Multi-unit
WP 5.1**

Scanbodies

Scanbody		2079	2079	2080
----------	--	------	------	------

Analogs

Digital analog		2611	2611	2136
Traditional analog		2597	2597	2091

Temporary abutments

Titanium temporary abutments		6853	6853	6852
------------------------------	--	------	------	------

Titanium bases

Titanium base	GH	0,5 2259	0,5 2259	0,5 2260
Cuttable titanium base	GH	0,5 6785 1,5 6786	0,5 6785 1,5 6786	0,5 6784 -
Conical titanium base	GH	0,8 4160	0,8 4160	-
Angulation correction titanium base	GH	0,5 6013 1,5 6759	0,5 6013 1,5 6759	1,0 6758 -

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand



Engaging
Non-engaging

Compatible with **Nobel Biocare®**

Bränemark Multi-unit

NP | RP | WP

M 1.4
Bränemark Multi-unit
NP 3.5

M 1.4
Bränemark Multi-unit
RP 4.1

M 1.8
Bränemark Multi-unit
WP 5.1

Screws

		M 1.4	M 1.4	M 1.8
	Angulation correction Titanium base screw		6012	6012
	Bridge and full arch screw		1883	1883
	Bridge and full arch angulation correction screw		6012	6705

◆ Engaging

● Non-engaging



M 1.4

**Active
3.0 Grey**

M 1.6

**Active NP
3.5 Purple**

M 2.0

**Active RP
4.3 | 5.0 Yellow**

M 2.0

**Active WP
5.5 Blue****Impression copings**

	Open tray ◎	○		6661	6662	6663
--	----------------	---	--	------	------	------

	Open tray screw			6664	6665	6666
--	--------------------	--	--	------	------	------

Transepithelial abutments

	Uniblock	GH		1,5 6024	1,5 6028	
				2,0 6025	2,0 6029	
				3,0 6026	3,0 6030	
				5,0 6027	5,0 6031	

	Prosthetic screw M1.4			1883	1883	
--	--------------------------	--	--	------	------	--

Scanbodies

	Scanbody ◎	○ 0° a 10° ¹ ○ 10° a 30° ²	2845	4395	4396	3986
			-	2089	2090	3986

Analogs

	Digital analog		2847	2099	2100	3988
--	-------------------	--	------	------	------	------

	Traditional analog		-	0213	0214	3987
--	-----------------------	--	---	------	------	------

Temporary abutments

	Titanium temporary abutment ◎	○		6458	6459	6428
		○		6460	6461	6429

Remember that:Measurements are indicated in mm
GH stands for Gingival Height

◎ Screw Included

The anodizing is done based
on the original color of the brand



Engaging

Non-engaging

Compatible with **Nobel Biocare®**

Active

3,0 | NP | RP | WP

M 1.4

**Active
3.0 Grey**

M 1.6

**Active NP
3.5 Purple**

M 2.0

**Active RP
4.3 | 5.0 Yellow**

M 2.0

**Active WP
5.5 Blue**

Titanium bases

Titanium base

GH

0,8

1950

0,8

1951

0,8

3989

1,8

2908

1,4

2915

-

0,8

2239

0,5

2240

0,5

3990

1,25

2928

0,9

2929

-

Cuttable titanium base

GH

0,8

6249

0,8

6250

-

1,5

6067

1,5

6069

1,5

6371

3,0

6068

3,0

6070

3,0

6372

GH

0,8

6265

0,5

6266

-

1,5

6373

1,5

6375

1,5

6377

3,0

6374

3,0

6376

3,0

6378

Angulation correction titanium base

GH

0,8

5840

0,8

5844

0,8

6470

1,8

5841

1,8

5845

1,8

6471

GH

0,8

5842

0,8

5846

0,8

6472

1,8

5843

1,8

5847

1,8

6473

Premills

Premill

Ti

4697

4655

4656

4699

CrCo

4701

4657

4658

4703

Screws

Screw

GH

2844

1901

1902

1902

Angulation correction Titanium base screw

GH

-

5848

5849

5849

Bridge and full arch screw

GH

-

1887

1881

1881

Bridge and full arch angulation correction screw

GH

-

5834

5835

5835



M 1.6

Straumann NC 3.3

M 1.6

Straumann RC 4.1 | 4.8

Impression copings

	Open tray		6659		6660
	Open tray screw		6657		6658

Transepithelial abutments

	Uniblock		GH	1,5	6032		1,5	6035
				2,5	6033		2,5	6036
				3,5	6034		3,5	6037
	Angled abutment		17° GH	2,5	6186		2,5	6190
				3,5	6187		3,5	6191
			30° GH	3,5	6188		3,5	6192
				4,5	6189		4,5	6193
	Angled abutment screw			6232			6233	
	Prosthetic screw			6238			6238	

Scanbodies

	Scanbody			2076		2077
--	----------	--	--	------	--	------

Analogs

	Digital Analog			2097		2098
	Traditional analog			0235		0211

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

Screw Included

The anodizing is done based
 on the original color of the brand



Engaging 
Non-engaging 

Compatible with **Straumann®**
Straumann
NC | RC

M 1.6

Straumann NC 3.3

M 1.6

Straumann RC 4.1 | 4.8

Temporary abutments

 Titanium temporary abutment



6430

6431

6432

6433

Titanium bases

 Titanium base



GH

0,9 1954

1,0 1955

1,95 2905

-



GH

0,8 2243

0,8 2244

1,6 2927

-

 Cuttable titanium base



GH

0,9 6254

1,0 6255

2,0 6073



M 2.0
Straumann RN 4.8

M 2.0
Straumann WN 6.5

Scanbodies

	Scanbody ◎		2085	2086	
Analogs					
	Digital analog		2106	2107	
	Traditional analog		1685	1686	
Titanium bases					
	Titanium base ◎	GH GH	1,0 1952 1,0 2241	1,4 1953 1,4 2242	
Premills					
	Premill	Ti CrCo	4723 4727	4725 4729	
Screws					
	Screw for abutment		1903 6875 1903	1903	
	Bridge and full arch screw		6707	6707	
	Bridge and full arch angulation correction screw		7076	7076	
	Angulation correction Titanium base screw		6731	6731	

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

The anodizing is done based
on the original color of the brand

◎ Screw Included



Engaging 
Non-engaging 

Compatible with **Straumann®**

SynOcta

RN 4,8 | WN 6,5


M 2.0

RN 4.8

M 2.0

WN 6.5

Scanbodies



Scanbody



2087

2088

Analogs



Digital
analog

2108

2109



Traditional
analog

1687

1688

Titanium bases



Titanium base



GH

1,0 1960

1,3 1961

1,0 2257

1,3 2258

Screws



Screw for
abutment



1904

1904



Bridge and
full arch
screw



1890

1890



Bridge and full arch
angulation correction
screw



6732

6732

Compatible with **Straumann®**
Multi-Base
NC 3,5-4,5 | RC 4,5-6,5

-  Engaging
-  Non-engaging



M 1,4
NC 3,5

M 1,4
NC 4,5

M 1,4
RC 4,5

M 1,4
RC 6,5

Scanbodies

	Scanbody 		2067	2074	2074	2075
---	---	---	------	------	------	------

Analogs

	Digital analog 	2131	2132	2132	2133
---	---	------	------	------	------

Screws

	Screw for abutment 	1892	1892	1892	1892
	Bridge and full arch angulation correction screw 	6709	6709	6709	6709

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Compatible with **Biomet 3i®**
External Connection
3,25 | 4,0 | 5,0 | 6,0

M 2.0
**External 3,25
Purple**

M 2.0
**External 4,0
Blue**

M 2.0
**External 5,0
Yellow**

M 2.0
**External 6,0
Green**

Scanbodies

	Scanbody 		1830	2534	2534	2534
---	---	---	------	------	------	------

Analogs

	Digital analog	2114	2613	2115	2116
---	----------------	------	------	------	------

Traditional analog

	Traditional analog	1693	2599	1694	1695
---	--------------------	------	------	------	------

Titanium bases

	Titanium base 	 GH	0,8 1866	0,5 2558	0,5 1867	0,5 1868
		 GH	0,8 2209	0,5 2568	0,5 2210	0,5 2211

Premills

	Premill	Ti	4731	4578	4578	4578
		CrCo	4737	4577	4577	4577

Screws

	Screw for abutment		2471	2471	2471	2471
	Bridge and full arch screw		2471	2471	2471	2471
	Bridge and full arch angulation correction screw		6715	6715	6715	6715

-  Engaging
-  Non-engaging



	M 1.6 Internal 3,4 Purple	M 1.6 Internal 4,1 Blue	M 1.6 Internal 5,0 Yellow	M 1.6 Internal 6,0 Green
--	---	---------------------------------------	---	--

Impression copings

	Open tray ◎		6667	6668	6669	6670
	Open tray Screw		6672	6673	6674	6675

Transepithelial abutments

	Uniblock		GH	1,0 6146 2,0 6147 3,0 6148 4,0 6149	1,0 6150 2,0 6151 3,0 6152 4,0 6153	
	Angled abutment ◎		17°	GH _{2,0} 6194 4,0 6195	2,0 6198 4,0 6199	
			30°	GH _{3,0} 6196 5,0 6197	3,0 6200 5,0 6201	
	Angled abutment screw			6234	6235	
	Prosthetic screw			6239	6239	

Scanbodies

	Scanbody ◎			1833	1834	1834
---	---------------	---	--	------	------	------

Análogos

	Digital analog		2117	2118	2119	2523
	Traditional analog		1696	1697	1698	2522

Pilares provisionales

	Titanium temporary abutment ◎		6434	6435	6436	
			6438	6439	6440	



Engaging

Non-engaging

Compatible with **Biomet 3i®**
Internal Certain
3,4 | 4,1 | 5,0 | 6,0

	M 1,6 Internal 3,4 Purple	M 1,6 Internal 4,1 Blue	M 1,6 Internal 5,0 Yellow	M 1,6 Internal 6,0 Green
--	---	---------------------------------------	---	--

Titanium bases

Titanium base	GH	0,8 1869 1,35 2914	0,5 1870 0,75 2916	0,5 1871 -	0,5 2519 -
	GH	0,8 2212 1,35 2930	0,5 2213 -	0,5 2214 -	0,5 2521 -
Cuttable titanium base	GH	0,8 6251 1,5 6065 3,0 6384	0,5 6252 1,5 6066 3,0 6385	0,5 6253 1,5 6386 3,0 6387	
	GH	0,8 6267 1,5 6390 3,0 6391	0,5 6268 1,5 6392 3,0 6393	0,5 6269 1,5 6394 3,0 6395	
Angulation correction titanium base	GH	0,8 5284 1,5 5285	0,8 5288 1,5 5289	1,5 5292 -	
	GH	0,8 5286 1,5 5287	0,8 5290 1,5 5291	1,5 5293 -	

Pilares pre-fresados

Premill	Ti CrCo	4733 4739	4735 4741	4735 4741	4735 4741
----------------	------------	--------------	--------------	--------------	--------------

Screws

Screw for abutment		1510	1510	1510	1510
Angulation correction Titanium base screw		5311	5311	5311	-
Bridge and full arch screw		1513	1513	1513	1513
Bridge and full arch angulation correction screw		5311	5311	5311	5311

Compatible with **Dentsply®**

Astratech Osseospeed

3,0 | 3,5-4,0 | 4,5-5,0

 Engaging

 Non-engaging



M 1.4
Osseospeed 3,0
Yellow

M 1.6
Osseospeed 3,5-4,0
Aqua

M 2.0
Osseospeed 4,5-5,0
Lilac

Transepithelial abutment

	Uniblock			1,5 6300 2,5 6301 3,5 6302	1,5 6303 2,5 6304 3,5 6305
---	----------	---	--	----------------------------------	----------------------------------

 Prosthetic screw

6243

6243

Scanbodies

	Scanbody			2096	1835	1828
---	----------	---	--	------	------	------

Analogs

	Digital analog		2120	2121	2122
---	----------------	--	------	------	------

 Traditional analog

1699 1700 1701

Temporary abutments

	Provisional Titano			6854 6857	6855 6858	6856 6859
---	-----------------------	---	---	--------------	--------------	--------------

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging

Non-engaging

Compatible with **Dentsply®**

Astratech Osseospeed

3,0 | 3,5-4,0 | 4,5-5,0

M 1,4
**Osseospeed 3,0
Yellow**

M 1,6
**Osseospeed 3,5-4,0
Aqua**

M 2,0
**Osseospeed 4,5-5,0
Lilac**

Titanium bases

Titanium base

GH
 GH

1,0 1962
2,3 2873
1,0 2245
2,3 2925

1,15 1963
1,85 2907
1,15 2246
1,85 2926

0,8 1964
-
0,8 2247
-

Cuttable titanium base

GH
 GH

1,15 6259
1,15 6275

0,8 6260
0,8 6276

Angulation correction titanium base

GH
 GH

1,8 5294
3,0 5295
1,8 5296
3,0 5297

1,8 5298
-
1,8 5300
-

Premills

Premill

Ti
CrCo

4715
4719

4607
4609

4717
4721

Screws

Screw

1906

1894

1895

Angulation correction Titanium base screw

5312

5313

Bridge and full arch screw

1893

1894

1895

Bridge and full arch angulation correction screw

6730

5312

5313

Compatible with **Dentsply®**

Astratech UniAbutment

20° | 45°

◆ Engaging


● Non-engaging



M 1.4
UniAbutment 20°

M 1.4
UniAbutment 45°


Scanbodies



1793

1793

Analogs



Digital
analog

2138

2139



Traditional
analog

2094

2095

Titanium bases



Base de Titano



GH

0,8 2266

0,8 2267

Screws




Screw



1941

1941



Bridge and full arch
angulation correction
screw



6706

6706

Remember that:

Measurements are indicated in mm

GH stands for Gingival Height

● Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Compatible with **Dentsply®**
Ankylos
C Narrow | C

M 1.6

Pilar Balance Base
Abutment C Narrow

M 1.6

Pilar Balance Base
Abutment C

Scanbodies

	Scanbody ◎		1831	1842
---	---------------	---	------	------

Analogs

	Digital analog		2400	2399
---	-------------------	--	------	------

Screws

	Screw		2365	2365
	Bridge and full arch angulation correction screw		6721	6721

◆ Engaging

● Non-engaging



M 1.4	M 1.6	M 1.6	M 1.6	M 1.6
Xive D 3,0 Brown	Xive D 3,4 Grey	Xive D 3,8 Yellow	Xive D 4,5 Blue	Xive D 5,5 Red

Scanbodies

	Scanbody		2038	2040	2368	2368	2368
--	----------	--	------	------	------	------	------

Analogs

	Digital analog	2435	2436	2437	2438	2439
--	----------------	------	------	------	------	------

	Traditional analog
--	--------------------

Premills

	Premill		4581	4582	4583	4583	4583
--	---------	--	------	------	------	------	------

Screws

	Screw		2376	2694	2694	2694	2694
	Bridge and full arch screw		2384	2066	2066	2066	2066
	Bridge and full arch angulation correction screw		6739	6740	6740	6740	6740

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand



Engaging

Non-engaging

Compatible with Dentsply®

Xive MP

3,4 | 3,8 | 4,5 | 5,5

M 1.6
Xive MP D 3,4
Grey

M 1.6
Xive MP D 3,8
Yellow

M 1.6
Xive MP D 4,5
Blue

M 1.6
Xive MP D 5,5
Red

Scanbodies

	Scanbody		2369	2369	2369	2369
--	----------	--	------	------	------	------

Analogs

	Digital analog		2440	2440	2442	2443
--	----------------	--	------	------	------	------

Screws

	Screw		2379	2379	2379	2379
	Bridge and full arch angulation correction screw		6720	6720	6720	6720

Compatible with **BioHorizons®**
Tapered Internal
3,0 | 3,5 | 4,5 | 5,7

-  Engaging
-  Non-engaging



M 1.8 - UNF 1-72	M 1.8	M 1.8	M 1.8
Internal 3,0 Grey	Internal 3,5 Yellow	Internal 4,5 Green	Internal 5,7 Blue

Impression copings

	Open tray			6683	6684	6685
	Open tray screw			6687	6688	6689

Transepithelial abutments

	Uniblock	GH		1,0 6170	1,0 6175	
				2,0 6171	2,0 6176	
				3,0 6172	3,0 6177	
				4,0 6173	-	
				5,0 6174	-	

	Angled abutment	17°	GH		2,0 6222	2,0 6228
					3,0 6223	3,0 6229
					4,0 6224	
		30°	GH		3,0 6225	4,0 6230
					4,0 6226	5,0 6231
					5,0 6227	

	Angled abutment screw			6883	6884	
---	-----------------------	--	--	------	------	--

	Transepithelial abutment screw			6242	6242	
---	--------------------------------	--	--	------	------	--

Scanbodies

	Scanbody			2713	2625	2626
---	----------	---	--	------	------	------

Analogs

	Digital analog			2551	2616	2617
---	----------------	--	--	------	------	------

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

The anodizing is done based
on the original color of the brand

 Screw Included



Engaging 
Non-engaging 

Compatible with **BioHorizons®**
Tapered Internal
3.0 | 3.5 | 4.5 | 5.7

	M 1.8 - UNF 1-72	M 1.8	M 1.8	M 1.8
	Internal 3,0 Grey	Internal 3,5 Yellow	Internal 4,5 Green	Internal 5,7 Blue
 Traditional analog	-	2601	2602	2603
Temporary abutments				
 Titanium temporary abutment	 		6448	6449
			6451	6452
Titanium bases				
 Titanium base	 GH	0,8 2656 1,3 4599	0,25 2657 -	0,25 2658 -
	 GH	0,8 2659 1,3 4601	0,25 2660 -	0,25 2655 -
 Cuttable titanium base	 GH	0,85 6279 1,0 6879 3,0 6880	0,25 6280 1,5 6082 3,0 6083	0,25 6281 - -
	 GH	0,80 6287 1,5 6416 3,0 6417	0,25 6288 1,5 6418 3,0 6419	0,25 6289 1,5 6420 3,0 6421
 Angulation correction titanium base	 GH	1,0 6046 1,8 6047	0,8 6050 1,8 6051	0,8 6476 1,8 6054
	 GH	1,0 6048 1,8 6049	0,8 6052 1,8 6053	0,8 6477 1,8 6055
Pilares pre-fresados				
 Premill	 Ti	4762	4744	4763
		4766	4745	4767
				4764
				4768

Compatible with **BioHorizons®**
Tapered Internal
3,0 | 3,5 | 4,5 | 5,7

- ◆ Engaging
- Non-engaging



M 1.8 - UNF 1-72	M 1.8	M 1.8	M 1.8
Internal 3,0 Grey	Internal 3,5 Yellow	Internal 4,5 Green	Internal 5,7 Blue

Screws						
	Screw		Premill 2712 Base Ti 4603	2632	2632	2632
	Angulation correction Titanium base screw		-	6057	6057	6057
	Bridge and full arch screw		2630	2630	2630	2630
	Bridge and full arch angulation correction screw		6737	6060	6060	6060

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height



The anodizing is done based on the original color of the brand



Engaging
Non-engaging

Compatible with **Mis®**
Internal Hexagon
Narrow | Standard | Wide | Multi-unit

	M 1.6 Narrow Platform NP 3.3 Yellow	M 1.8 Standard Platform SP 3.75 4.2 Purple	M 1.8 Wide Platform EP 5.0 6.0 Green	M 1.6 Multi-unit Abutment 4.8
--	---	--	--	---

Impression copings

	Open tray 		6690	6691	
	Open tray screw		6692	6693	

Transepithelial abutments

	Uniblock 		GH	1,0 6162 2,0 6163 3,0 6164 4,0 6165 5,0 6166	1,0 6167 2,0 6168 3,0 6169 - -
	Angled abutment 		17° GH	2,0 6212 3,0 6213 4,0 6214	2,0 6218 3,0 6219
			30° GH	3,0 6215 4,0 6216 5,0 6217	4,0 6220 5,0 6221

	Angled abutment screw 			6881	6882	
	Prosthetic screw			6241	6241	

Scanbodies

	Scanbody 			1872	2628	2629	4827
--	--------------	--	--	------	------	------	------

Analogs

	Digital analog		2073	2619	2620	4836	
	Traditional analog		-	2604	2605	-	

Compatible with Mis®

Internal Hexagon

Narrow | Standard | Wide | Multi-unit

◆ Engaging

● Non-engaging



	M 1.6 Narrow Platform	M 1.8 Standard Platform	M 1.8 Wide Platform	M 1.6 Multi-unit Abutment
--	--------------------------	----------------------------	------------------------	------------------------------

Temporary abutments

	Titanium temporary abutment	◎	6454	6455
		○	6456	6457

Titanium bases

	Titanium base	◎ GH	0,8 1,3	2661 2912	0,25	2662
		○ GH	0,8 1,3	2663 2933	0,25	2664
	Cutable titanium base	◎ GH	0,85 1,5 3,0	6277 6079 6080	0,25	6278
		○ GH	0,80 1,5 3,0	6285 6423 6424	1,5 3,0	6081 6422

	Angulation correction titanium base	◎ GH	1,0 1,8	6038 6039	0,8	6042
		○ GH	1,0 1,8	6040 6041	1,8	6043

Premills

	Premill	◎ Ti CoCr	4778 4781	4746 4747	4779 4782	
--	---------	--------------	--------------	--------------	--------------	--

Screws

	Screw	◎	1874	2633	2633	-
	Angulation correction Titanium base screw	◎	-	6056	6056	6059
	Bridge and full arch screw	○	-	2631	2631	4388
	Bridge and full arch angulation correction screw	-	-	6058	6058	6059

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

◎ Screw Included

The anodizing is done based
on the original color of the brand



Engaging
 Non-engaging

Compatible with **Zimmer®**
 Tapered Screw-Vent
 3,5 | 4,5 | 5,7 | Tapered

M 1.8	M 1.8	M 1.8	M 1.8
3,5 mm D Green	4,5 mm D Purple	5,7 mm D Yellow	Tapered Screw-Vent Multi-unit

Impression copings

	Open tray ◎		6676	6677	6678	
	Open tray screw		6680	6681	6682	

Transepithelial abutments

	Uniblock		GH	1,0 6157 2,0 6158 3,0 6159 4,0 6160 5,0 6161	1,0 6154 2,0 6155 3,0 6156	-	
	Angled abutment ◎		GH	2,0 6202 3,0 6203 4,0 6204	2,0 6208 3,0 6209		
			30°	GH	3,0 6205 4,0 6206 5,0 6207	4,0 6210 5,0 6211	
	Angled abutment screw			6236	6237		
	Prosthetic screw			6240	6240		

Scanbodies

	Scanbody ◎			1786	1782	2057	2275
--	---------------	--	--	------	------	------	------

Analogs

	Digital analog			2615	2123	2124	2444
--	-------------------	--	--	------	------	------	------

Compatible with **Zimmer®**
Tapered Screw-Vent
3,5 | 4,5 | 5,7 | Tapered

-  Engaging
-  Non-engaging



M 1.8	M 1.8	M 1.8	M 1.8
3,5 mm D Green	4,5 mm D Purple	5,7 mm D Yellow	Tapered Screw-Vent

	Análogo para modelo yeso		2600	1702	1703	2430
Temporary abutments						
	Titanium temporary abutment	 	6446	6442	6443	
			6447	6444	6445	
Titanium bases						
	Titanium base	 GH	0,8 1965 1,3 2910	0,25 1966 -	0,25 1967 -	
	Cutable titanium base	 GH	0,85 6256 1,5 6076 3,0 6077	0,25 6257 1,5 6078 3,0 6398	0,25 6258 1,5 6399 3,0 6400	
		 GH	0,8 6272 1,5 6401 3,0 6402	0,25 6273 1,5 6403 3,0 6404	0,25 6274 1,5 6405 3,0 6406	
	Angulation correction titanium base	 GH	1,0 5827 1,8 5828	0,8 5302 1,8 5303	0,8 6474 1,8 5306	
		 GH	1,0 5829 1,8 5830	0,8 5304 1,8 5305	0,8 6475 1,8 5307	
Premills						
	Premill	 Ti	4742	4754	4756	
		 CoCr	4743	4758	4760	

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



- Engaging 
- Non-engaging 

Compatible with **Zimmer®**
Tapered Screw-Vent
3,5 | 4,5 | 5,7 | Tapered

	M 1.8	M 1.8	M 1.8	M 1.8
	3,5 mm D Green	4,5 mm D Purple	5,7 mm D Yellow	Tapered Screw-Vent
Screws				
 Screw		1909	1909	1909
 Angulation correction Titanium base screw		5320	5320	5320
 Bridge and full arch screw		1896	1896	1896
 Bridge and full arch angulation correction screw		5831	5831	5831

Compatible with **Neodent®**
GM® | CM®
 GM | Mini Pilar Cónico | Micro Pilar

-  Engaging
-  Non-engaging



M 1.6 GM Grand Morse	M 1.4 Mini Pilar Cónico GM CM	M 1.4 Micro Pilar GM CM
--	---	---

Scanbodies

	Scanbody	6500	6502	6503
---	----------	------	------	------

Analogs

	Digital/traditional analog	6496	6498	6499
---	----------------------------	------	------	------

Screws

	Screw		6514	6517	6518
	Angulation correction Titanium base screw		6519	6520	6520
	Bridge and full arch screw		6515	6517	6518
	Bridge and full arch angulation correction screw		6521	6520	6520

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

 Screw Included

The anodizing is done based on the original color of the brand



Engaging
Non-engaging

Compatible with **Klockner®**

Essential®

Cone | Octacone | Abutment

M 1.8 Essential Cone 4,5	M 1.8 Essential Cone 6,0	M 1.8 Octatone EC 12° 4,5	M 1.8 Octatone EC 12° 6,0	M 1.8 Pilar EC 25°
--	--	---	---	--

Scanbodies

	Scanbody 	6549	6549	6550	6550	6551
--	--------------	------	------	------	------	------

Analogs

	Digital/traditional analog	6543	6544	6545	6546	6547
--	----------------------------	------	------	------	------	------

Screws

	Screw 	6522	6522	6541	6541	6542
	Angulation correction Titanium base screw 	6585	6585	6586	6586	6588
	Bridge and full arch screw 	6526	6526	6527	6527	6529
	Bridge and full arch angulation correction screw 	6589	6589	6590	6590	6592

Compatible with **Klockner®**
Essential® | VEGA® | NK2® | SK2®
 Multicone | MV | NV | RV | N2K | SK2

- ◆ Engaging
- Non-engaging



M 1.4 Multicone	M 1.6 MV 3,0 Yellow	M 1.6 NV 3,5 Purple	M 1.8 RV 4,0 4,5 Blue Grey	M 1.8 NK2 SK2 4,2
---------------------------	-----------------------------------	-----------------------------------	--	-----------------------------------

Scanbodies

Scanbody	6552	6617	6618	6619	6613
----------	------	------	------	------	------

Analogs

Digital/traditional analog	6548	6614	6615	6616	6600
----------------------------	------	------	------	------	------

Screws

Screw		6599	6620	6620	6621	6530
Angulation correction Titanium base screw		6587	-	6624	6625	6609
Bridge and full arch screw		6528	-	6622	6623	6531
Bridge and full arch angulation correction screw		6591	-	6626	6627	6610

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

The anodizing is done based
 on the original color of the brand

Screw Included



Engaging

Non-engaging

Compatible with **Ziacom®**

Zicnic®

NP | RP | WP | Pilar Basic


M 1.6
NP 3.2 Yellow

M 1.8
RP 3.5 Blue

M 1.8
WP 4.5 Pink

M 1.8
Pilar Basic

Scanbodies



Scanbody
◎

7102

7103

7104

7105

Analogs



Digital/traditional
analog

7098

7099

7100

7101

Screws



Screw

7086

7087

7087

7088



Angulation
correction Titanium
base screw

-

7093

7093

7094



Bridge and
full arch
screw

-

7090

7090

7091



Bridge and full arch
angulation correction
screw

-

7096

7096

7097

Compatible with **BTI®**

Externa

Tiny | Universal | Plus | Ancha

 Engaging

 Non-engaging



M 2.0

**Implante Tiny
3.5 Purple**

M 2.0

**Universal
4.1 Blue**

M 2.0

**Universal Plus
4.1 Yellow**

M 2.0

Ancha

Scanbodies



Scanbody




2190

2510

2510

2195

Analogs



Digital
analog

2110

2612

2612

2111



Traditional
analog

1689

2598

2598

1690

Titanium bases



Titanium base




GH

0,8 1862

0,5 2256

0,5 2256

0,5 1863



GH

0,8 2205

0,5 2566

0,5 2566

0,5 2206

Premills



Premill



Ti

4770

4578

4578

4772

4774

4577

4577

4776

Screws



Screw



0970

2505

2505

2505



Bridge and
full arch
screw



0970

2505

2505

2505



Bridge and full arch
angulation correction
screw



6738

6716

6716

6716

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

 Screw Included

The anodizing is done based
on the original color of the brand



Engaging
Non-engaging

Compatible with **BTI®**
Interna
Universal | Plus | Ancha

M 1.8
Universal
4.1 Blue

M 1.8
Universal Plus
4.1 Yellow

M 1.8
Ancha
5.5 Green

Scanbodies

	Scanbody 		2196	2196	2196	
--	--------------	--	------	------	------	--

Analogs

	Digital analog		2112	2112	2113	
	Traditional analog		1691	1691	1692	

Titanium bases

	Titanium base 		GH 0,5	1864	0,5 1864	GH 0,5	1865
			GH 0,5	2207	0,5 2207	GH 0,5	2208

Premills

	Premill		Ti CoCr	4660 4662	4660 4662	4660 4662	
--	---------	--	------------	--------------	--------------	--------------	--

Screws

	Screw			2576	2576	2576	
	Bridge and full arch screw			2576	2576	2576	
	Bridge and full arch angulation correction screw			6717	6717	6717	



M 1.4
Multi-IM 4,1

M 1.4
Multi-IM 5,5

Scanbodies

	Scanbody ◎		2197		2363
Analogs					
	Digital analog		2137		2446
	Traditional analog		2092		2432
Titanium bases					
	Titanium base ◎		0,5	2265	0,5 2445
Screws					
	Screw		1977		1977
	Bridge and full arch angulation correction screw		6718		6718

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

◎ Screw Included

The anodizing is done based
on the original color of the brand



Engaging 
Non-engaging 

Compatible with **CAMLOG®**

Screw-Line

3,3 | 3,8 | 4,3 | 5,0 | 6,0

M 1,6
3,3 (Grey) M 1,6
3,8 (Yellow) M 1,6
4,3 (Red) M 2,0
5,0 (Blue) M 2,0
6,0 (Green)

Scanbodies

	Scanbody 		1832	1843	1844	1845	1845
---	---	---	------	------	------	------	------

Analogs

	Digital analog	2126	2127	2128	2129	2130	
---	----------------	------	------	------	------	------	--

	Traditional analog	1705	1706	1707	1708	1709	
---	--------------------	------	------	------	------	------	--

Titanium bases

	Titanium base 	 GH	0,8 1969	08 1970	0,5 1971	0,5 1972	0,5 1973
		 GH	0,8 2252	0,8 2253	0,5 2254	0,5 2255	0,5 4566

Premills

	Premill	 Ti	4819	4821	4823	4825	4825
		 CrCo	-	6293	6294	-	-

Screws

	Screw		2391	2391	2391	2394	2394
	Bridge and full arch screw		2367	2367	2367	2370	2370
	Bridge and full arch angulation correction screw		6742	6742	6742	6743	6743

Compatible with **CAMLOG®**
Bar Abutment
4.3 | 6.0



M 1.6

4,3

M 2.0

6,0

Scanbodies

 Scanbody		2285		2305
Analogs				
 Digital analog		2716		2717
Titanium bases				
 Titanium base	 GH	0,5	2722	0,5
Screws				
 Screw		2708		2709
 Bridge and full arch angulation correction screw		6725		6726

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height



The anodizing is done based on the original color of the brand



Engaging
Non-engaging

Compatible with **Bego Semados®**

Bego Semados

S 3,25-3,75-4,1 | RI 4,5 | S 5,5

M 1.8
S 3,25-3,75-4,1
RI 3,75 | 4,1

M 1.8
RI 4,5

M 1.8
S 5,5 | RI 5,5

Scanbodies

	Scanbody ◎		1873	1873	1873
--	---------------	--	------	------	------

Analogs

	Digital analog		2453	2454	2455
--	----------------	--	------	------	------

Titanium bases

	Titanium base ◎		GH	0,55 2403	0,55 2403	0,10 2404
			GH	0,55 2374	0,55 2374	0,10 2375

Premills

	Premill		Ti	4611	4611	4611
			CrCo	4613	4613	4613

Screws

	Screw			2537	2537	2537
	Bridge and full arch screw			2685	2685	2685
	Bridge and full arch angulation correction screw			6741	6741	6741

◆ Engaging

● Non-engaging



M 1.4 PF 3,5 Yellow	M 1.6 PF 4,0 Green	M 1.6 PF 4,5 Blue	M 1.6 PF 5,0 Grey	M 1.6 PF 6,0 Purple
-----------------------------------	----------------------------------	---------------------------------	---------------------------------	-----------------------------------

Scanbodies

	Scanbody	2358	2359	2360	2361	2362
--	----------	------	------	------	------	------

Analogs

	Digital/traditional analog	2347	2348	2349	2350	2354
--	----------------------------	------	------	------	------	------

Premills

	Premill	Ti	4572	4573	4574	4575	4576
		CrCo	4705	4707	4709	4711	4713

Screws

	Screw		2396	2397	2397	2397	2397
	Bridge and full arch screw		2372	2373	2373	2373	2373
	Bridge and full arch angulation correction screw		6744	6745	6745	6745	6745

Remember that:

Measurements are indicated in mm
GH stands for Gingival Height

Screw Included

The anodizing is done based
on the original color of the brand



Engaging
Non-engaging

Compatible with **Sweden & Martina®**

Premium Kohno

3,3 | 3,8 | 4,25 | 5,0 | 6,0

M 1.8 PK 3,3 Blue	M 1.8 PK 3,8 Green	M 2.0 PK 4,25 Navy	M 2.0 PK 5,0 Pink	M 2.0 PK 6,0 Grey
---------------------------------	----------------------------------	----------------------------------	---------------------------------	---------------------------------

Scanbodies

	Scanbody ◎	4426	4413	4515	4532	4532
--	---------------	------	------	------	------	------

Analogs

	Digital analog	4428	4415	4517	4534	4563
--	----------------	------	------	------	------	------

Titanium bases

	Titanium base ◎		GH 0,8 4429	0,8 4416	0,8 4518	0,8 4535	0,8 4564
			GH 0,8 4430	0,8 4417	0,8 4519	0,8 4536	0,8 4565

Premills

	Premill		4431	4437	4520	4537	4537
			4432	4438	4521	4538	4538

Screws

	Screw		4418	4418	4522	4522	4522
	Bridge and full arch screw		4439	4439	4523	4523	4523
	Bridge and full arch angulation correction screw		6733	6733	6734	6734	6734



M 1.8
TG M 4,8

M 2.0
TG W 5,8

Scanbodies



Scanbody
 ◎



4486

4505

Analogs



Digital
 analog

4488

4507




Traditional
 analog

4487

4506

Titanium bases



Titanium base
 ◎



0,8 4489

0,8 4508

0,8 4490

0,8 4509

Premills



Premill



Ti

CrCo

4491

4510

4492

4511

Screws



Screw



4493

4512



Bridge and
 full arch
 screw



4494

4513



Bridge and full arch
 angulation correction
 screw



6735

6736

Remember that:

Measurements are indicated in mm
 GH stands for Gingival Height

◎ Screw Included

The anodizing is done based
 on the original color of the brand



Accessories and specifications

Accessories

Screwdrivers and other accessories

Avinent and other brands

Reference

Box

Minibox	0526
Minibox Support	0527
Key dynamometric	0295

Screwdrivers and others

	Screwdriver ISO 1797 (048)	18 mm 22 mm 30 mm	0644 0277 0645
	Gold screw Screwdriver ISO 1797 Rhein 83 Sobredentadura	□	0263
	Short screw Screwdriver ISO 1797	□	0267
	Closed tray impression coping Screwdriver ISO 1797	○	0723
	Transepithelial abutment Screwdriver ISO 1797	22 mm 30 mm	0328 0726
	Angled Transepithelial abutment Screwdriver ISO 1797	25 mm 30 mm	0804 0648
	G2 Angulation correction Screwdriver	24 mm 32 mm	5184 5185
	Handle Screwdriver ISO 1797	S L	0791 0790
	Monoblock Screwdriver (048)	S L	0274 0275
	Analog new driver*	M 1,4 M 1,6 M 1,8 M 2,0 M 2,5	7961 7962 7963 7964 7965

Reference

Overdenture Accesories Rhein 83 ®

	Processor pack (2 units)	Maximum divergences of 25°	3317
	Processor pack SmartBox	Maximum divergences of 30°	4210
	SmartBox Housing	Maximum divergences of 30°	4211
	Tool of insertion and extraction		4209
	Impression coping (2 units)		3318
	Analog		3319
	Male replacement lilac (2,7 Kgf)	Blister of 4 units	3322
	Male replacement white (1,8 Kgf)	Blister of 4 units	3323
	Male replacement pink (1,2 Kgf)	Blister of 4 units	3324
	Male replacement yellow (0,6 Kgf)	Blister of 4 units	3325
	Male replacement black (Only labs)	Blister of 4 units	4695
	SmartBox replacement black (Only labs)	Blister of 4 units	4212

Remember that:

Measurements are indicated in mm.

All scanning abutments are valid for laboratory scanners and intraoral scanners

The availability of the products in this catalog may vary by country. Contact us for more information

* See the driver and analog compatibility table on page 99

Accesories

Overdenture Locator

Reference

Overdenture AccesoriesLocator®

	Processor pack (2 units)		0368
	Major tool		0371
	Impression coping	Blister of 4 units	0369
	Analog	Blister of 4 units	0370
	Male replacement white (2,27 Kgf)	Blister of 4 units	0363
	Male replacement pink (1,36 Kgf)	Blister of 4 units	0364
	Male replacement blue (0,68 Kgf)	Blister of 4 units	0365
	Male replacement green (divergent)	Blister of 4 units	0366
	Male replacement red (light divergent)	Blister of 4 units	0367

Reference

Overdenture Accesories Locator R-TX ®

	Retention of indicated	Blister of 4 units	4998
	Major tool		5006
	Impression coping	Blister of 4 units	5004
	Analog	Blister of 4 units GH	3,35 5001 4,0 5002 5,0 5003
	Zero retention	Blister of 4 units	4994
	Low retention	Blister of 4 units	4995
	Medium retention	Blister of 4 units	4996
	High retention	Blister of 4 units	4997
	Spacer indicated	Blister of 4 units	5005
	Spacer ring	20 units	4999
	Screwdriver		5746
	Cap indicated	Blister of 4 units	5000

Accessories

Premills

Avinent and other brands

Avinent Premills Production Kit - 6142


Avinent has developed the Production Kit for pre-mills to make your clients' work more easy and efficient. The kit contains everything you need to operate your pre-milled abutment equipment, including the possibility of producing up to eight titanium or cobalt chrome units at a time.

The Avinent pre-mills production kit comes in a box with all the accessories available and also incorporates a USB with milling strategies perfect to avoid errors from day one.

The Avinent CAD CAM components catalog has over 60 different pre-milled connections available, either titanium or cobalt chrome, for that you can do all your work without exception.



- You can make up to 8 units **at a time**.
- **High capacity** and fast production
- **From CAD to CAM:** developed with a focus integral part of a fully digital process.
- Milling strategies are developed to ensure a **high quality emergence profile**.
- **Available for** milling machines imes-icore CORITEC 350i, imes-icore CORITEC 650i and DMG.



Remember that:

*Extra adapter needed to use the Pre-mill Production Kit for DMG milling machines.

Compliance with labeling requirements

Products are supplied with labeling and instructions to ensure safe and correct use of the product in accordance with its intended use.

The content of the product labeling has been established in accordance with the regulatory requirements of Regulation (EU) 2017/745 and the requirements of the standards applicable to medical devices.

Includes the following symbols:

	Manufacturer
	Manufacturing date
	Lot code
	Reference number
	CE marking for class I products
	CE symbol for class II _r , II _a and II _b products
	Consult instructions for use
	No-sterile
	Do not reuse
	Unique product identifier
	Data Matrix (UDI - Identifier support unique of the products) (01) 08435452ZZZZZ (UDI-DI - GTIN number) (10) AVXXXXXXX (Lot number) (11) YYMMDD (Manufacturer date) (240) RRRR (Catalog number)
	Indication that the product is a medical device (Medical Device)
Rx only	Under medical prescription (USA only)
	Distributor
	Importer

Recommended torques

Technical specifications

Avinent and other brands

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
0076	AVINENT® EC 3,5 & IC 3,5/4,1 Tornillo	Ø3,5 / Ø4,1	Conical	M1,80	0277 / 0644 / 0645	35
0010	AVINENT® EC 4,1 Tornillo	Ø4,1	Conical	M2,00	0277 / 0644 / 0645	35
0077	AVINENT® EC 5,1 Tornillo	Ø5,1	Conical	M2,50	0277 / 0644 / 0645	35
0570	AVINENT® EC 4,1 Tornillo (Corto)	Ø4,1	Conical	M2,00	0277 / 0644 / 0645	35
0568	AVINENT® EC 3,5 & IC 3,5/4,1 Tornillo (Corto)	Ø3,5 / Ø4,1	Conical	M1,80	0277 / 0644 / 0645	35
0572	AVINENT® EC 5,1 Tornillo (Corto)	Ø5,1	Conical	M2,50	0277 / 0644 / 0645	35
2802	AVINENT® EC 3,5 & IC 3,5/4,1 Tornillo (Múltiples)	Ø3,5 / Ø4,1	Flat	M1,80	0277 / 0644 / 0645	35
2803	AVINENT® EC 4,1 Tornillo (Múltiples)	Ø4,1	Flat	M2,00	0277 / 0644 / 0645	35
2804	AVINENT® EC 5,1 Tornillo (Múltiples)	Ø5,1	Flat	M2,50	0277 / 0644 / 0645	35
3466	AVINENT® CC 3,5 & CC.I 3,5 Tornillo	Ø3,5	Conical	M1,60	0277 / 0644 / 0645	35
3467	AVINENT® CC 4,1 & CC.I 4,1 Tornillo	Ø4,1	Conical	M2,00	0277 / 0644 / 0645	35
3045	AVINENT® CC 3,5 & CC.I 3,5 Tornillo (Múltiples)	Ø3,5	Flat	M1,60	0277 / 0644 / 0645	35
3046	AVINENT® CC 4,1 & CC.I 4,1 Tornillo (Múltiples)	Ø4,1	Flat	M2,00	0277 / 0644 / 0645	35
5348	AVINENT® PEARL Tornillo	Ø3,5	Conical	M1,60	0277 / 0644 / 0645	35
306	AVINENT® Transepitelial 4,8 Tornillo	Transepitelial Ø4,8	Flat	M1,40	0277 / 0644 / 0645	15
1901	Nobel® Active NP/Bränemark NP Tornillo	Bränemark NP / Active NP	Conical	M1,60	Original Screwdriver	35
1881	Nobel® Bränemark RP Tornillo	Bränemark RP	Flat	M2,00	Original Screwdriver	35
1882	Nobel® Bränemark WP Tornillo	Bränemark WP	Flat	M2,50	Original Screwdriver	35
1880	Nobel® Bränemark NP Tornillo (Múltiples)	Bränemark NP	Flat	M1,60	Original Screwdriver	35
1885	Nobel® Replace NP Tornillo	Replace NP	Flat	M1,80	Original Screwdriver	35
1886	Nobel® Replace RP/WP/6,0 Tornillo	Replace RP/WP/6,0	Flat	M2,00	Original Screwdriver	35
1883	Nobel® Multi-unit NP/RP Tornillo (Múltiples)	Bränemark Multi-unit NP / RP	Flat	M1,40	Original Screwdriver	15
1884	Nobel® Multi-unit WP Tornillo (Múltiples)	Bränemark Multi-unit WP	Flat	M1,80	Original Screwdriver	35
2844	Nobel® Active 3,0 Tornillo	Active 3,0	Conical	M1,40	Original Screwdriver	15
1902	Nobel® Active RP/WP Tornillo	Active RP/WP	Conical	M2,00	Original Screwdriver	35
1887	Nobel® Active NP Tornillo (Múltiples)	Active NP	Flat	M1,60	Original Screwdriver	35
1903	Straumann® RN/WN Tornillo	RN / WN	Conical	M2,00	Original Screwdriver	35
1904	Straumann® RN/WN synOcta Tornillo	synOcta RN 4,8 / WN 6,5	Conical	M2,00	Original Screwdriver	35
1889	Straumann® RN/WN Tornillo (Múltiples)	RN / WN	Flat	M2,00	Original Screwdriver	35
1890	Straumann® RN/WN synOcta Tornillo (Múltiples)	synOcta RN 4,8 / WN 6,5	Flat	M2,00	Original Screwdriver	35
1905	Straumann® Bone Level NC/RC Tornillo	NC / RC	Conical	M1,60	Original Screwdriver	35
1891	Straumann® Bone Level NC/RC Tornillo (Múltiples)	NC / RC	Flat	M1,60	Original Screwdriver	35
1892	Straumann® Multi-Base NC/RC Tornillo (Múltiples)	Multi-Base NC 3,5 / NC 4,5 / RC 3,5 / RC 4,5	Flat	M1,40	Original Screwdriver	15
2471	Biomet 3i™Hex 3,25/4,0/5,0/6,0 Tornillo	External 3,25 / 4,0 / 5,0 / 6,0	Flat	M2,00	Original Screwdriver	20
1510	Biomet 3i™ Internal Certain Tornillo	Internal 3,4 / 4,1 / 5,0 / 6,0	Flat	M1,60	Original Screwdriver	20

1513	Biomet 3i™ Internal Certain Tornillo (Múltiples)	Internal 3,25 / 4,0 / 5,0 / 6,0	Flat	M1,60	Original Screwdriver	20
1909	Zimmer® TSV 3,5/4,5/5,7mmD Tornillo	TSV 3,5/4,5/5,7	Conical	M1,80	Original Screwdriver	30
1896	Zimmer® TSV 3,5/4,5/5,7mmD Tornillo (Múltiples)	TSV 3,5/4,5/5,7	Flat	M1,80	Original Screwdriver	30
1942	Zimmer® Tapered Abutment Tornillo (Múltiples)	Tapered Screw-Vent	Flat	M1,80	Original Screwdriver	20
2712	BIOHORIZONS® 3,0mm Tornillo	Internal 3,0	Conical	M1,80	Original Screwdriver	30
4603	BIOHORIZONS® 3,0mm Tornillo Base Titanio	Internal 3,0	Conical	M1,80	Original Screwdriver	30
2632	BIOHORIZONS® 3,5/4,5/5,7mm Tornillo	Internal 3,5 / 4,5 / 5,7	Conical	M1,80	Original Screwdriver	30
2630	BIOHORIZONS® 3,0/3,5/4,5/5,7mm Tornillo (Múltiples)	Internal 3,0 / 3,5 / 4,5 / 5,7	Flat	M1,80	Original Screwdriver	30
1874	MIS® Internal Hex. Narrow Tornillo	Narrow Platform	Conical	M1,60	Original Screwdriver	30
2633	MIS® Internal Hex. Stndrd/Wide Tornillo	Standard Platform / Wide Platform	Conical	M1,80	Original Screwdriver	30
2631	MIS® Internal Hex. Stndrd/Wide Tornillo (Múltiples)	Standard Platform / Wide Platform	Flat	M1,80	Original Screwdriver	30
4388	MIS® Multi-Unit Tornillo (Múltiples)	MIS Multi-unit	Flat	M1,60	Original Screwdriver	25
1906	Dentsply Astra™ Yellow 3,0 Tornillo	Osseospeed 3,0	Conical	M1,40	Original Screwdriver	15
1894	Dentsply Astra™ Aqua 3,5/4,0 Tornillo	Osseospeed 3,5-4,0	Flat	M1,60	Original Screwdriver	20
1895	Dentsply Astra™ Lilac 4,5/5,0 Tornillo	Osseospeed 4,5-5,0	Flat	M2,00	Original Screwdriver	25
1893	Dentsply Astra™ Yellow 3,0 Tornillo (Múltiples)	Osseospeed 3,0	Flat	M1,40	Original Screwdriver	15
1941	Dentsply Astra™ 20°/45° UniA Tornillo (Múltiples)	Dentsply UniAbutment 20°	Flat	M1,40	Original Screwdriver	15
2365	Dentsply Ankylos® BBA C/Narrow Tornillo (Múltiples)	Dentsply UniAbutment 45°	Flat	M1,60	Original Screwdriver	15
2376	Dentsply XiVE® D3,0 Tornillo	Xive D 3,0	Conical	M1,40	Original Screwdriver	15
2694	Dentsply XiVE® 3,4/3,8/4,5/5,5 Tornillo	Xive D 3,0 / 3,4 / 3,8 / 4,5 / 5,5	Conical	M1,60	Original Screwdriver	25
2384	Dentsply XiVE® D3,0 Tornillo (Múltiples)	Xive D 3,0	Flat	M1,40	Original Screwdriver	15
2066	Dentsply XiVE® 3,4/3,8/4,5/5,5 Tornillo (Múltiples)	Xive D 3,0 / 3,4 / 3,8 / 4,5 / 5,5	Flat	M1,60	Original Screwdriver	25
2379	Dply XiVE® MP D3,4/3,8/4,5/5,5 Tornillo (Múltiples)	Xive MP D 3,4 / 3,8 / 4,5 / 5,5	Flat	M1,60	Original Screwdriver	20
0970	BTI® Externa Tiny Tornillo	Tiny	Flat	M2,00	Original Screwdriver	20
2505	BTI® Externa Universal/Wide Tornillo	Universal/Wide	Flat	M2,00	Original Screwdriver	20
2576	BTI® Interna Universal/Wide Tornillo	Universal/Wide	Flat	M1,80	Original Screwdriver	35
1977	BTI® Multi-IM Tornillo (Múltiples)	BTI Multi-IM 4,1 / 5,5	Flat	M1,40	Original Screwdriver	20
2537	BEGO® Ø3,25/3,75/4,1/4,5/5,5 Tornillo	S 3,25-3,75-4,1 RI 3,75 4,1 / RI 4,5 / S 5,5 RI 5,5	Conical	M1,80	Original Screwdriver	30
2685	BEGO® Ø3,25/3,75/4,1/4,5/5,5 Tornillo (Múltiples)	S 3,25-3,75-4,1 RI 3,75 4,1 / RI 4,5 / S 5,5 RI 5,5	Flat	M1,80	Original Screwdriver	30
2391	Camlog® Screw-Line 3,3/3,8/4,3 Tornillo	3,3 (Grey) / 3,8 (Yellow) / 4,3 (Red)	Conical	M1,60	Original Screwdriver	20
2394	Camlog® Screw-Line Ø5,0/6,0 Tornillo	5,0 (Blue) / 6,0 (Green)	Conical	M2,00	Original Screwdriver	20
2367	Camlog® Screw-Line 3,3/3,8/4,3 Tornillo (Múltiples)	3,3 (Grey) / 3,8 (Yellow) / 4,3 (Red)	Flat	M1,60	Original Screwdriver	20

Recommended torques

Technical specifications

Avinent and other brands

2370	Camlog® Screw-Line Ø5,0/6,0 Tornillo (Múltiples)	5,0 (Blue) / 6,0 (Green)	Flat	M2,00	Original Screwdriver	20
2708	Camlog® Bar Abutment Ø4,3 Tornillo (Múltiples)	Bar Abut. 4,3	Flat	M1,60	Original Screwdriver	15
2709	Camlog® Bar Abutment Ø6,0 Tornillo (Múltiples)	Bar Abut. 6	Flat	M2,00	Original Screwdriver	15
2396	©Thommen SPI® PF Ø3,5 Tornillo	PF 3,5	Conical	M1,40	Original Screwdriver	15
2397	©Thommen SPI® Ø4,0/4,5/5,0/6,0 Tornillo	PF 4,0 / 4,5 / 5,0 / 6,0	Conical	M1,60	Original Screwdriver	20
2372	©Thommen SPI® PF Ø3,5 Tornillo (Múltiples)	PF 3,5	Flat	M1,40	Original Screwdriver	15
2373	©Thommen SPI® Ø4,0/4,5/5,0/6,0 Tornillo (Múltiples)	PF 4,0 / 4,5 / 5,0 / 6,0	Flat	M1,60	Original Screwdriver	20
4418	S&M Premium Kohno Ø3,3/3,8 Tornillo	PF 3,3 / 3,8	Conical	M1,80	Original Screwdriver	20
4522	S&M Premium Kohno 4,25/5,0/6,0 Tornillo	PF 4,25 / 5,0 / 6,0	Conical	M2,00	Original Screwdriver	20
4439	S&M Premium Kohno Ø3,3/3,8 Tornillo (Múltiples)	PF 3,3 / 3,8	Flat	M1,80	Original Screwdriver	20
4523	S&M Premium Kohno 4,25/5,0/6,0 Tornillo (Múltiples)	PF 4,25 / 5,0 / 6,0	Flat	M2,00	Original Screwdriver	20
4493	S&M Premium Kohno TG M Tornillo	TG M 4,8	Conical	M1,80	Original Screwdriver	20
4512	S&M Premium Kohno TG W Tornillo	TG W 5,8	Conical	M2,00	Original Screwdriver	20
4494	S&M Premium Kohno TG M Tornillo (Múltiples)	TG M 4,8	Flat	M1,80	Original Screwdriver	20
4513	S&M Premium Kohno TG W Tornillo (Múltiples)	TG W 5,8	Flat	M2,00	Original Screwdriver	20
7086	ZIACOM® Zinic® NP Screw	Zinic NP	Conical	M1,60	Original Screwdriver	30
7087	ZIACOM® Zinic® RP/WP Screw	Zinic RP	Conical	M1,80	Original Screwdriver	30
7088	ZIACOM® Zinic® Pilar Basic Screw	Pilar Basic	Conical	M1,80	Original Screwdriver	25
7090	ZIACOM® Zinic® RP/WP Screw (Multiple)	Zinic RP	Flat	M1,80	Original Screwdriver	30
7091	ZIACOM® Zinic® Pilar Basic Screw (Multiple)	Pilar Basic	Flat	M1,80	Original Screwdriver	25
6514	Neudent® GM (Grand Morse) Screw	GM	Conical	M1,60	Original Screwdriver	20
6515	Neudent® GM (Grand Morse) Screw (Multiple)	GM	Flat	M1,60	Original Screwdriver	20
6516	Neudent® GM (Grand Morse) Prosthetic Screw	GM	Flat	M1,40	Original Screwdriver	10
6517	Neudent® GM Mini Conical Abut. Prosthetic Screw	Mini Abut.	Flat	M1,40	Original Screwdriver	10
6518	Neudent® GM Micro Abut. Prosthetic Screw	Micro Abut.	Flat	M1,40	Original Screwdriver	10
6522	Klockner® Essential® Cone Screw	Essential Cone	Conical	M1,80	Original Screwdriver	30
6526	Klockner® Essential® Cone Screw (Multiple)	Essential Cone	Flat	M1,80	Original Screwdriver	25
6527	Klockner® Octacone® EC12o Screw (Multiple)	Essential Octacone	Flat	M1,80	Original Screwdriver	25
6599	Klockner® Multicone Screw	Multicone	Conical	M1,80	Original Screwdriver	15
6528	Klockner® Multicone Screw (Multiple)	Multicone	Flat	M1,40	Original Screwdriver	15
6529	Klockner® Abut. EC25° Screw (Multiple)	Abut. EC25°	Flat	M1,80	Original Screwdriver	25
6530	Klockner® NK2/SK2 Screw	NK2/SK2	Conical	M1,80	Original Screwdriver	25
6531	Klockner® NK2/SK2 Screw (Multiple)	NK2/SK2	Flat	M1,80	Original Screwdriver	25
6541	Klockner® Octacone® EC12o Screw	Essential Octacone	Conical	M1,80	Original Screwdriver	25

6542	Klockner® Abut. EC25° Screw	Abut. EC25°	Conical	M1,80	Original Screwdriver	25
6620	Klockner® VEGA®/+ MV/NV Screw	VEGA MV	Conical	M1,60	Original Screwdriver	25
6621	Klockner® VEGA®/+ RV Screw	VEGA RV	Conical	M1,80	Original Screwdriver	30
6622	Klockner® VEGA®/+ NV Screw (Multiple)	VEGA NV	Flat	M1,60	Original Screwdriver	25
6623	Klockner® VEGA®/+ RV Screw (Multiple)	VEGA RV	Flat	M1,80	Original Screwdriver	30

Transepithelial Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
0190	Pilar Transepitelial EC 4,1 GH1 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0193	Pilar Transepitelial EC 4,1 GH2 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0196	Pilar Transepitelial EC 4,1 GH3 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0199	Pilar Transepitelial EC 4,1 GH4 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0202	Pilar Transepitelial EC 4,1 GH5 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0765	Pilar Transepitelial IC 3,5/4,1 GH1 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0766	Pilar Transepitelial IC 3,5/4,1 GH2 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0767	Pilar Transepitelial IC 3,5/4,1 GH3 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0768	Pilar Transepitelial IC 3,5/4,1 GH4 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
0769	Pilar Transepitelial IC 3,5/4,1 GH5 (Uniblock)	Ø3,5 / Ø4,1	Conical	M1,80	0328 / 0726	35
2464	Pilar Transepitelial EC 3,5 GH1 (Uniblock)	Ø3,5	Flat	M1,80	0328 / 0726	35
2465	Pilar Transepitelial EC 3,5 GH2 (Uniblock)	Ø3,5	Flat	M1,80	0328 / 0726	35
2466	Pilar Transepitelial EC 3,5 GH3 (Uniblock)	Ø3,5	Flat	M1,80	0328 / 0726	35
3108	Pilar Transepitelial CC 3,5 GH1,5 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3109	Pilar Transepitelial CC 3,5 GH2 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3110	Pilar Transepitelial CC 3,5 GH3 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3112	Pilar Transepitelial CC 3,5 GH5 (Uniblock)	Ø3,5	Conical	M1,60	0328 / 0726	35
3113	Pilar Transepitelial CC 4,1 GH1,5 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35
3114	Pilar Transepitelial CC 4,1 GH2 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35
3115	Pilar Transepitelial CC 4,1 GH3 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35

Recommended torques

Technical specifications

Avinent and other brands

3117	Pilar Transepitelial CC 4,1 GH5 (Uniblock)	Ø4,1	Conical	M2,00	0328 / 0726	35
5980	Pilar Transepitelial CC.I 3,5 GH1,2 (Uniblock)	Ø3,5	Flat	M1,60	0328 / 0726	35
5981	Pilar Transepitelial CC.I 3,5 GH3,2 (Uniblock)	Ø3,5	Flat	M1,60	0328 / 0726	35
5982	Pilar Transepitelial CC.I 4,1 GH1,2 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
5983	Pilar Transepitelial CC.I 4,1 GH3,2 (Uniblock)	Ø4,1	Flat	M2,00	0328 / 0726	35
0220	Pilar Transepitelial EC 4,1 GH0,5 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0222	Pilar Transepitelial EC 4,1 GH1 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0225	Pilar Transepitelial EC 4,1 GH2 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0228	Pilar Transepitelial EC 4,1 GH3 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0231	Pilar Transepitelial EC 4,1 GH4 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0234	Pilar Transepitelial EC 4,1 GH5 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0816	Pilar Transepitelial IC 3,5/4,1 GH1 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0817	Pilar Transepitelial IC 3,5/4,1 GH2 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0818	Pilar Transepitelial IC 3,5/4,1 GH3 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0819	Pilar Transepitelial IC 3,5/4,1 GH4 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0820	Pilar Transepitelial IC 3,5/4,1 GH5 Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
2478	Pilar Transepitelial EC 3,5 GH1 Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
2479	Pilar Transepitelial EC 3,5 GH2 Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
3119	Pilar Transepitelial CC 3,5 GH2 Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3120	Pilar Transepitelial CC 3,5 GH3 Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3124	Pilar Transepitelial CC 4,1 GH2 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
3125	Pilar Transepitelial CC 4,1 GH3 Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0204	Pilar Transepitelial EC 4,1 GH0,5 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0206	Pilar Transepitelial EC 4,1 GH1 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0209	Pilar Transepitelial EC 4,1 GH2 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0212	Pilar Transepitelial EC 4,1 GH3 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0215	Pilar Transepitelial EC 4,1 GH4 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35
0218	Pilar Transepitelial EC 4,1 GH5 No Rotatorio	Ø4,1	Flat	M2,00	0328 / 0726	35

0821	Pilar Transepitelial IC 3,5/4,1 GH1 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0822	Pilar Transepitelial IC 3,5/4,1 GH2 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0823	Pilar Transepitelial IC 3,5/4,1 GH3 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0824	Pilar Transepitelial IC 3,5/4,1 GH4 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
0825	Pilar Transepitelial IC 3,5/4,1 GH5 No Rotatorio	Ø3,5 / Ø4,1	Flat	M1,80	0328 / 0726	35
2480	Pilar Transepitelial EC 3,5 GH1 No Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
2481	Pilar Transepitelial EC 3,5 GH2 No Rotatorio	Ø3,5	Flat	M1,80	0328 / 0726	35
3129	Pilar Transepitelial CC 3,5 GH2 No Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3130	Pilar Transepitelial CC 3,5 GH3 No Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
3134	Pilar Transepitelial CC 4,1 GH2 No Rotatorio	Ø4,1	Flat	M1,80	0328 / 0726	35
3135	Pilar Transepitelial CC 4,1 GH3 No Rotatorio	Ø4,1	Flat	M1,80	0328 / 0726	35
5984	Pilar Transepitelial CC.I 3,5 GH1,2 No Rotatorio	Ø3,5	Flat	M1,60	0328 / 0726	35
5985	Pilar Transepitelial CC.I 4,1 GH1,2 No Rotatorio	Ø4,1	Flat	M1,80	0328 / 0726	35
6024	Nobel Biocare® Active NP Pil. Transep. GH1,5 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6025	Nobel Biocare® Active NP Pilar Transep. GH2 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6026	Nobel Biocare® Active NP Pilar Transep. GH3 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6027	Nobel Biocare® Active NP Pilar Transep. GH5 (Uniblock)	Active NP	Conical	M1,60	Original Screwdriver	35
6028	Nobel Biocare® Active RP Pil. Transep. GH1,5 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6029	Nobel Biocare® Active RP Pilar Transep. GH2 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6030	Nobel Biocare® Active RP Pilar Transep. GH3 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6031	Nobel Biocare® Active RP Pilar Transep. GH5 (Uniblock)	Active RP	Conical	M2,00	Original Screwdriver	35
6867	Nobel Biocare® Bränemark NP Pilar Transep. GH1 (Uniblock)	Bränemark NP	Flat	M1,60	Original Screwdriver	35
6868	Nobel Biocare® Bränemark NP Pilar Transep. GH2 (Uniblock)	Bränemark NP	Flat	M1,60	Original Screwdriver	35
6869	Nobel Biocare® Bränemark NP Pilar Transep. GH3 (Uniblock)	Bränemark NP	Flat	M1,60	Original Screwdriver	35
6870	Nobel Biocare® Bränemark RP Pilar Transep. GH1 (Uniblock)	Bränemark RP	Flat	M2,00	Original Screwdriver	35
6871	Nobel Biocare® Bränemark RP Pilar Transep. GH2 (Uniblock)	Bränemark RP	Flat	M2,00	Original Screwdriver	35
6872	Nobel Biocare® Bränemark RP Pilar Transep. GH3 (Uniblock)	Bränemark RP	Flat	M2,00	Original Screwdriver	35
6873	Nobel Biocare® Bränemark RP Pilar Transep. GH4 (Uniblock)	Bränemark RP	Flat	M2,00	Original Screwdriver	35

Recommended torques

Technical specifications

Avinent and other brands

6874	Nobel Biocare® Bränemark RP Pilar Transep. GH5 (Uniblock)	Bränemark RP	Flat	M2,00	Original Screwdriver	35
6032	Straumann® Bone Level NC Pil. Transep. GH1,5 (Uniblock)	NC	Conical	M1,60	Original Screwdriver	35
6033	Straumann® Bone Level NC Pil. Transep. GH2,5 (Uniblock)	NC	Conical	M1,60	Original Screwdriver	35
6034	Straumann® Bone Level NC Pil. Transep. GH3,5 (Uniblock)	NC	Conical	M1,60	Original Screwdriver	35
6035	Straumann® Bone Level RC Pil. Transep. GH1,5 (Uniblock)	RC	Conical	M1,60	Original Screwdriver	35
6036	Straumann® Bone Level RC Pil. Transep. GH2,5 (Uniblock)	RC	Conical	M1,60	Original Screwdriver	35
6037	Straumann® Bone Level RC Pil. Transep. GH3,5 (Uniblock)	RC	Conical	M1,60	Original Screwdriver	35
6146	Biomet 3i™ Certain 3,4 Pilar Transep. GH1 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6147	Biomet 3i™ Certain 3,4 Pilar Transep. GH2 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6148	Biomet 3i™ Certain 3,4 Pilar Transep. GH3 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6149	Biomet 3i™ Certain 3,4 Pilar Transep. GH4 (Uniblock)	Internal 3,4	Flat	M1,60	Original Screwdriver	20
6150	Biomet 3i™ Certain 4,1 Pilar Transep. GH1 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6151	Biomet 3i™ Certain 4,1 Pilar Transep. GH2 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6152	Biomet 3i™ Certain 4,1 Pilar Transep. GH3 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6153	Biomet 3i™ Certain 4,1 Pilar Transep. GH4 (Uniblock)	Internal 4,1	Flat	M1,60	Original Screwdriver	20
6157	Zimmer® TSV 3,5mmD Pilar Transep. GH1 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6158	Zimmer® TSV 3,5mmD Pilar Transep. GH2 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6159	Zimmer® TSV 3,5mmD Pilar Transep. GH3 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6160	Zimmer® TSV 3,5mmD Pilar Transep. GH4 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6161	Zimmer® TSV 3,5mmD Pilar Transep. GH5 (Uniblock)	TSV 3,5	Conical	M1,80	Original Screwdriver	30
6154	Zimmer® TSV 4,5mmD Pilar Transep. GH1 (Uniblock)	TSV 4,5	Conical	M1,80	Original Screwdriver	30
6155	Zimmer® TSV 4,5mmD Pilar Transep. GH2 (Uniblock)	TSV 4,5	Conical	M1,80	Original Screwdriver	30
6156	Zimmer® TSV 4,5mmD Pilar Transep. GH3 (Uniblock)	TSV 4,5	Conical	M1,80	Original Screwdriver	30
6170	BIOHORIZONS® 3,5mm Pilar Transep. GH1 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6171	BIOHORIZONS® 3,5mm Pilar Transep. GH2 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6172	BIOHORIZONS® 3,5mm Pilar Transep. GH3 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6173	BIOHORIZONS® 3,5mm Pilar Transep. GH4 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30
6174	BIOHORIZONS® 3,5mm Pilar Transep. GH5 (Uniblock)	Internal 3,5	Conical	M1,80	Original Screwdriver	30

6175	BIOHORIZONS® 4,5mm Pilar Transep. GH1 (Uniblock)	Internal 4,5	Conical	M1,80	Original Screwdriver	30
6176	BIOHORIZONS® 4,5mm Pilar Transep. GH2 (Uniblock)	Internal 4,5	Conical	M1,80	Original Screwdriver	30
6177	BIOHORIZONS® 4,5mm Pilar Transep. GH3 (Uniblock)	Internal 4,5	Conical	M1,80	Original Screwdriver	30
6162	MIS® Internal Hex. Standard Pilar Transep. GH1 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6163	MIS® Internal Hex. Standard Pilar Transep. GH2 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6164	MIS® Internal Hex. Standard Pilar Transep. GH3 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6165	MIS® Internal Hex. Standard Pilar Transep. GH4 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6166	MIS® Internal Hex. Standard Pilar Transep. GH5 (Uniblock)	Standard Platform	Conical	M1,80	Original Screwdriver	30
6167	MIS® Internal Hex. Wide Pilar Transep. GH1 (Uniblock)	Wide Platform	Conical	M1,80	Original Screwdriver	30
6168	MIS® Internal Hex. Wide Pilar Transep. GH2 (Uniblock)	Wide Platform	Conical	M1,80	Original Screwdriver	30
6169	MIS® Internal Hex. Wide Pilar Transep. GH3 (Uniblock)	Wide Platform	Conical	M1,80	Original Screwdriver	30
6300	Dentsply Astra™ Aqua 3,5/4,0 Pil. Transep. GH1,5 (Uniblock)	Osseospeed 3,5-4,0	Conical	M1,60	Original Screwdriver	20
6301	Dentsply Astra™ Aqua 3,5/4,0 Pil. Transep. GH2,5 (Uniblock)	Osseospeed 3,5-4,0	Conical	M1,60	Original Screwdriver	20
6302	Dentsply Astra™ Aqua 3,5/4,0 Pil. Transep. GH3,5 (Uniblock)	Osseospeed 3,5-4,0	Conical	M1,60	Original Screwdriver	20
6303	Dentsply Astra™ Lilac 4,5/5,0 Pil. Transep. GH1,5 (Uniblock)	Osseospeed 4,5-5,0	Conical	M2,00	Original Screwdriver	25
6304	Dentsply Astra™ Lilac 4,5/5,0 Pil. Transep. GH2,5 (Uniblock)	Osseospeed 4,5-5,0	Conical	M2,00	Original Screwdriver	25
6305	Dentsply Astra™ Lilac 4,5/5,0 Pil. Transep. GH3,5 (Uniblock)	Osseospeed 4,5-5,0	Conical	M2,00	Original Screwdriver	25

Rhein 83 Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
3268	RHEIN83® Pilar CC/CC.I 3,5 GH2	Ø3,5	Conical	M1,60	0263	25
3269	RHEIN83® Pilar CC/CC.I 3,5 GH3	Ø3,5	Conical	M1,60	0263	25
3270	RHEIN83® Pilar CC/CC.I 3,5 GH4	Ø3,5	Conical	M1,60	0263	25
3271	RHEIN83® Pilar CC/CC.I 3,5 GH5	Ø3,5	Conical	M1,60	0263	25
3272	RHEIN83® Pilar CC/CC.I 4,1 GH2	Ø4,1	Conical	M2,00	0263	25
3273	RHEIN83® Pilar CC/CC.I 4,1 GH3	Ø4,1	Conical	M2,00	0263	25
3274	RHEIN83® Pilar CC/CC.I 4,1 GH4	Ø4,1	Conical	M2,00	0263	25
3275	RHEIN83® Pilar CC/CC.I 4,1 GH5	Ø4,1	Conical	M2,00	0263	25
3478	RHEIN83® Pilar EC 3,5 GH2	Ø3,5	Flat	M1,80	0263	25
3479	RHEIN83® Pilar EC 3,5 GH4	Ø3,5	Flat	M1,80	0263	25
3276	RHEIN83® Pilar EC 4,1 GH2	Ø4,1	Flat	M2,00	0263	25
3277	RHEIN83® Pilar EC 4,1 GH3	Ø4,1	Flat	M2,00	0263	25

Recommended torques

Technical specifications

Avinent and other brands

3278	RHEIN83® Pilar EC 4,1 GH4	Ø4,1	Flat	M2,00	0263	25
3279	RHEIN83® Pilar EC 4,1 GH5	Ø4,1	Flat	M2,00	0263	25
3280	RHEIN83® Pilar EC 5,1 GH2	Ø5,1	Flat	M2,50	0263	25
3480	RHEIN83® Pilar EC 5,1 GH4	Ø5,1	Flat	M2,50	0263	25
3282	RHEIN83® Pilar IC 3,5/4,1 GH2	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
3283	RHEIN83® Pilar IC 3,5/4,1 GH3	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
3284	RHEIN83® Pilar IC 3,5/4,1 GH4	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
3285	RHEIN83® Pilar IC 3,5/4,1 GH5	Ø3,5 / Ø4,1	Conical	M1,80	0263	25
4166	RHEIN83® Pilar PEARL Ø2,5 GH0,8	PEARL	Flat	M1,60	0263	25
4167	RHEIN83® Pilar PEARL Ø2,5 GH1,8	PEARL	Flat	M1,60	0263	25
4168	RHEIN83® Pilar PEARL Ø2,5 GH2,8	PEARL	Flat	M1,60	0263	25

Locator Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
2458	LOCATOR® Pilar EC 3,5 GH1 (01916)	Ø3,5	Flat	M1,80	0371	30
2459	LOCATOR® Pilar EC 3,5 GH2 (01917)	Ø3,5	Flat	M1,80	0371	30
2460	LOCATOR® Pilar EC 3,5 GH3 (01918)	Ø3,5	Flat	M1,80	0371	30
2461	LOCATOR® Pilar EC 3,5 GH4 (01919)	Ø3,5	Flat	M1,80	0371	30
2462	LOCATOR® Pilar EC 3,5 GH5 (01920)	Ø3,5	Flat	M1,80	0371	30
0352	LOCATOR® Pilar EC 4,1 GH0,73 (8681)	Ø4,1	Flat	M2,00	0371	30
0353	LOCATOR® Pilar EC 4,1 GH2 (8682)	Ø4,1	Flat	M2,00	0371	30
0354	LOCATOR® Pilar EC 4,1 GH3 (8683)	Ø4,1	Flat	M2,00	0371	30
0355	LOCATOR® Pilar EC 4,1 GH4 (8684)	Ø4,1	Flat	M2,00	0371	30
0356	LOCATOR® Pilar EC 4,1 GH5 (8685)	Ø4,1	Flat	M2,00	0371	30
0357	LOCATOR® Pilar EC 4,1 GH6 (8696)	Ø4,1	Flat	M2,00	0371	30
0358	LOCATOR® Pilar EC 5,1 GH1 (8825)	Ø5,1	Flat	M2,50	0371	30
0359	LOCATOR® Pilar EC 5,1 GH2 (8826)	Ø5,1	Flat	M2,50	0371	30
0360	LOCATOR® Pilar EC 5,1 GH3 (8827)	Ø5,1	Flat	M2,50	0371	30
0361	LOCATOR® Pilar EC 5,1 GH4 (8828)	Ø5,1	Flat	M2,50	0371	30
0362	LOCATOR® Pilar EC 5,1 GH5 (8829)	Ø5,1	Flat	M2,50	0371	30
0596	LOCATOR® Pilar IC 3,5/4,1 GH0 (2025)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0597	LOCATOR® Pilar IC 3,5/4,1 GH1 (2026)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0598	LOCATOR® Pilar IC 3,5/4,1 GH2 (2027)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0599	LOCATOR® Pilar IC 3,5/4,1 GH3 (2028)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0600	LOCATOR® Pilar IC 3,5/4,1 GH4 (2029)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
0601	LOCATOR® Pilar IC 3,5/4,1 GH5 (2030)	Ø3,5 / Ø4,1	Conical	M1,80	0371	30
3242	LOCATOR® Pilar CC/CC.I 3,5 GH1 (2069)	Ø3,5	Conical	M1,60	0371	30
3243	LOCATOR® Pilar CC/CC.I 3,5 GH2 (2070)	Ø3,5	Conical	M1,60	0371	30

3244	LOCATOR® Pilar CC/CC.I 3,5 GH3 (2071)	Ø3,5	Conical	M1,60	0371	30
3245	LOCATOR® Pilar CC/CC.I 3,5 GH4 (2072)	Ø3,5	Conical	M1,60	0371	30
3246	LOCATOR® Pilar CC/CC.I 3,5 GH5 (2073)	Ø3,5	Conical	M1,60	0371	30
3247	LOCATOR® Pilar CC/CC.I 4,1 GH1 (2075)	Ø4,1	Conical	M2,00	0371	30
3248	LOCATOR® Pilar CC/CC.I 4,1 GH2 (2076)	Ø4,1	Conical	M2,00	0371	30
3249	LOCATOR® Pilar CC/CC.I 4,1 GH3 (2077)	Ø4,1	Conical	M2,00	0371	30
3250	LOCATOR® Pilar CC/CC.I 4,1 GH4 (2078)	Ø4,1	Conical	M2,00	0371	30
3251	LOCATOR® Pilar CC/CC.I 4,1 GH5 (2079)	Ø4,1	Conical	M2,00	0371	30
2225	LOCATOR® Pilar Transep, 4,8 (8909-2)	Transepitelial Ø4,8	Flat	M1,40	0371	30

Locator Abutment

Reference	Compatibility	Platform	Seat	Metric	Screwdriver	Torque
4957	LOCATOR R-Tx® Pilar EC 3,5 GH1 (32505-01)	Ø3,5	Flat	M1,80	5746	30
4958	LOCATOR R-Tx® Pilar EC 3,5 GH2 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4959	LOCATOR R-Tx® Pilar EC 3,5 GH3 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4960	LOCATOR R-Tx® Pilar EC 3,5 GH4 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4961	LOCATOR R-Tx® Pilar EC 3,5 GH5 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4962	LOCATOR R-Tx® Pilar EC 3,5 GH6 (32505-02)	Ø3,5	Flat	M1,80	5746	30
4963	LOCATOR R-Tx® Pilar EC 4,1 H1,2 (30511-01)	Ø4,1	Flat	M2,00	5746	30
4964	LOCATOR R-Tx® Pilar EC 4,1 GH2 (30511-02)	Ø4,1	Flat	M2,00	5746	30
4965	LOCATOR R-Tx® Pilar EC 4,1 GH3 (30511-03)	Ø4,1	Flat	M2,00	5746	30
4966	LOCATOR R-Tx® Pilar EC 4,1 GH4 (30511-04)	Ø4,1	Flat	M2,00	5746	30
4967	LOCATOR R-Tx® Pilar EC 4,1 GH5 (30511-05)	Ø4,1	Flat	M2,00	5746	30
4968	LOCATOR R-Tx® Pilar EC 4,1 GH6 (30511-06)	Ø4,1	Flat	M2,00	5746	30
4969	LOCATOR R-Tx® Pilar EC 5,1 H1,2 (30512-01)	Ø5,1	Flat	M2,50	5746	30
4970	LOCATOR R-Tx® Pilar EC 5,1 H2 (30512-02)	Ø5,1	Flat	M2,50	5746	30
4971	LOCATOR R-Tx® Pilar EC 5,1 GH3 (30512-03)	Ø5,1	Flat	M2,50	5746	30
4972	LOCATOR R-Tx® Pilar EC 5,1 GH4 (30512-04)	Ø5,1	Flat	M2,50	5746	30

Analog drivers

Specification chart

Avinent and other brands

Analog driver compatibility table

Driver	Analogs
7961 M1,40	6322 6820 6811 6862 6865 6866 6498 6499 6548
7962 M1,60	6324 6342 6326 6328 6329 6330 6331 6332 5942
7964 M2,0	6320 6818 7025 7304 6325 6343 6327 6813 6814 6815 6864 5944 5945
7963 M1,80	6319 6323 7099 6334 6337 6340 6335 6336 6338 6341 6339 6812 6817 6878
7965 M2,5	6321 6819







Carretera de Návarles, 107
Pol. Industrial Santa Anna I
08251 Santpedor (Barcelona) - España
T. (+34) 93 827 34 65
www.avinent.com avinent@avinent.com



Management
System
ISO 13485:2016
www.tuv.com



0197

